

DAFTAR PUSTAKA

- Assefa, F., & Ayalew, D. (2019). Status and control measures of fall armyworm (*Spodoptera frugiperda*) infestations in maize fields in Ethiopia: A review. *Cogent Food & Agriculture*, 5(1),1-16.
<https://doi.org/10.1080/23311932.2019.1641902>
- Arif, A. (2015). Pengaruh Bahan Kimia Terhadap Penggunaan Pestisida Lingkungan. *Jf Fik Uinam*, 3(4), 134-143
- Badan Standardisasi Nasional. (2014). *SNI 8027.1: 2014, Agens Pengendali Hayati (APH) – Bagian 1 : Beauveria bassiana*. 1-21.
- Barros EM, Torres JB, Ruberson JR, & Oliveira MD. 2010. Development of *Spodoptera frugiperda* on different hosts and damage to reproductive structures in cotton. *Entomologia Experimentalis et Applicata*, 137:237–245.
- Deciyanto, S., S.G. Reyes and D.R. Santiago. 2005. Laboratory assay of *Beauveria bassiana* isolates against *Helicoverpa armigera*. Proceedings of 1st International Conference of Crop Security. Brawijaya, Malang, 20-22 September 2005. pp: 46-55
- Deole, S and Nandita, P (2018). First report of fall army worm, *Spodoptera frugiperda* (J.E. Smith), their nature of damage and biology on maize crop at Raipur, Chhattisgarh. *Journal of Entomology and Zoology Studies* 2018; 6(6): 219-221
- Dono D, Hidayat Y, Suganda T, Hidayat S, & Widayani NS. 2020. The toxicity of neem (*Azadirachta indica*), citronella (*Cymbopogon nardus*), castor (*Ricinus communis*), and clove (*Syzygium aromaticum*) oil against *Spodoptera frugiperda*, 3(1):22–30.
- Food and Agriculture Organization. CABI. 2019. Community-Based Fall Armyworm (*Spodoptera frugiperda*) Monitoring, Early Warning and Management. Training of Trainers Manual. First Edition
- Hughes, S.J. 1971. Phycomycetes, Basidiomycetes, and Ascomycetes as Fungi Imperfecti. In: *Taxonomy of Fungi Imperfecti* (B. Kendrick, ed.), pp. 7-36. University of Toronto Press, Toronto.
- Jaramillo-Barrios, I. C., & Monje-Andrade1, E. H. V.-D. and B. (2019). Economic injury level and action thresholds for *Spodoptera frugiperda* (J . E . Smith) (Lepidoptera : Noctuidae) in maize crops Economic injury level and action thresholds for *Spodoptera frugiperda* (J . E . Smith) (Lepidoptera :

Noctuidae) in maize. *Rev. Fac.Nac. Agrob. Medellin*, 73(November).
<https://doi.org/10/15446/rfnam.v73n1.78824>

Kementerian Pertanian . 2019. Hasil Produksi Jagung Nasional 2019.

Kementerian Pertanian. 2019. Pengenalan Fall Armyworm (*Spodoptera frugiperda* J. E. Smith) Hama Baru pada Tanaman Jagung di Indonesia. Balai Penelitian Tanaman Serealia. Jakarta.

Kementerian pertanian. 2020. Data Impor Jagung tahun 2020.

Keswani *et al.*, 2013 C. Keswani, S.P. Singh, H.B. Singh *Beauveria bassiana*: status, mode of action, applications and safety issues *Biotech Today*, 3 (1) (2013), pp. 16-20.

Khasanah, Nur. 2008. Pengendalian Hama Penggerek Tongkol Jagung *Helicoverpa Armigera* Hubner. (Lepidoptera : Noctuidae) Dengan *Beauveria Bassiana* Strain Lokal Pada Pertanaman Jagung Manis Di Kabupaten Donggala. *J. Agroland* 15 (2) : 106 - 111

Maharani, Dewi, V. K., Puspasari, L. T., Rizkie, L., Hidayat, Y., & Dono, D. (2019). Cases of Fall Army Worm *Spodoptera frugiperda* J. E. Smith (Lepidoptera: Noctuidae) Attack on Maize in Bandung, Garut and Sumedang District, West Java. *CROPSAVER – Journal of Plant Protection*, 2(1), 38.
<https://doi.org/10.24198/cropsaver.v2i1.23013>

Mangunwidjaja, D. (2003). Teknologi dan Diversifikasi Pengolahan Jagung. Bandar Lampung. Diakses dari <http://iirc.ipb.ac.id/jspui/bitstream/123456789/40435/1/Pages%20from%20modul3-2.pdf> pada 26 September 2019.

Nurnina Nonci, S. H. (2019, June 1). PENGENALAN FALL ARMYWORM (*Spodoptera Frugiperda* J.E. Smith) HAMA BARU PADA TANAMAN JAGUNG DI INDONESIA. Retrieved Juni 28, 2021, from <https://pangan.litbang.pertanian.go.id/files/BukuSakupenangananHamaFAW.pdf>

Nonci, N, et, al. *Pengenalan fall armyworm (Spodoptera frugiperda J.E. Smith)* Hama Baru Pada Tanaman Jagung di Indonesia. Balai Penelitian Tanaman Serealia, 2019.

Nonci Nurnina, Septian Hary K, Hishar M, Amran M, Muhammad Azrai, Muhammad Aqil. 2019. Pengenalan Fall Army Worm (*Spodoptera frugiperda* J.E. Smith) Hama Baru Pada Tanaman Jagung di Indonesia. Maros: Balai Penelitian Tanaman Serealia.

- Pebriani, P. (2020). Efektivitas *Beauveria bassiana* Dalam Mengendalikan Larva *Spodoptera frugiperda* Untuk Mempertahankan Pertumbuhan dan Hasil Tanaman Jagung Semi (*Zea mays* L.) Varietas Arjuna. *Thesis*. Bandung: UIN Sunan Gunung Djati Bandung
- Prasanna B. M., Joseph E. Huesing, Regina Eddy, dan Virginia M. Peschke. 2018. Fall Armyworm in Africa: A Guide For Integrated Pest Management. USAID, CIMMYT, MAIZE: Mexico
- Prayogo, Y. 2006. Upaya mempertahankan keefektifan cendawan entomopatogen untuk mengendalikan hama tanaman pangan. *Jurnal Libang Pertanian* 25(2): 47-54.
- Rohman, F. L., Saputro, T. B., & Prayogo, Y. (2017). Pengaruh Penambahan Senyawa Berbasis Kitin Terhadap Pertumbuhan Cendawan Entomopatogen *Beauveria bassiana*. *Jurnal Sains Dan Seni ITS*, 6(2).
<https://doi.org/10.12962/j23373520.v6i2.23827>
- Rosmiati, A., Hidayat, C., Firmansyah, E., & Setiati, Y. (2018). Potensi *Beauveria bassiana* sebagai Agens Hayati *Spodoptera litura* Fabr. Pada Tanaman Kedelai. *Agrikultura*, 29(1), 43.
<https://doi.org/10.24198/agrikultura.v29i1.16925>
- Soetopo, D, dan IGAA Indrayani. 2007. Status teknologi dan prospek *Beauveria bassiana* untuk pengendalian serangga hama tanaman perkebunan yang ramah lingkungan. *Perspektif*. 6(1):29-46.
- NG Syahroni, NT Haryadi (2019). Uji Efektivitas Konsentrasi *Spodoptera litura* - Nuclear Polyhedrosis Virus (SINPV) JTM 97C Formulasi Bubuk Terhadap Larva *Spodoptera litura* Fabricius (Lepidoptera: Noctuidae) Pada Tanaman Kedelai. *Jurnal Pengendalian Hayati* 2(2): 46-52
<https://doi.org/10.19184/jph.v2i2.17140>
- Webinar Pemanfaatan Musuh Alami Dalam Pengelolaan *Spodoptera Frugiperda* oleh Prof. Dr. Ir. Itji Diana Daud, MS
- Wright S, M Ramos, P Avery, S Jaronski dan J Vandenberg. 2010. Comparative virulence of *Beauveria bassiana* isolates against lepidopteran pests of vegetable crops. *Journal of invertebrate pathology* 103(2010): 186-199.
<https://doi.org/10.1016/j.jip.2010.01.001>