

DAFTAR PUSTAKA

- Abdullah T., A., 2011. Karakteristik Populasi dan Serangan Penggerek Jagung Asia *Ostrinia Furnacalis* (*Lepidoptera:pyralidae*) dan Hubungan Dengan Kehilangan Hasil. *J. Fitomedika*, 1(7): 175-181.
- Alrazik, M. U., Jahidin, J., & Damhuri, D. (2017). Keanekaragaman Serangga (Insecta) Subkelas Pterygota Di Hutan Nanga-nanga Papalia. *Jurnal Ampibi*, 2(1): 1-10.
- Augul, R.S,H.H.Al-Saffar., N.M.Nasree., 2015. Original Article: Survey of Some Hemiptera pecies Attracted to Light Traps. *Advances in Bioresearch*, 6(2): 112-127.
- Altieri, 1999, The ecological Role Biodiversity in Agroecisystems. *Adricult Ecosys Enciro*. <https://doi.org/10.1016/B978-0-444-50019-9.50005-4>
- Barata, A., Santos, S. C., Malfeito-Ferreira, M., & Loureiro, V. (2012). New Insights into the Ecological Interaction Between Grape Berry Microorganisms and *Drosophila* Flies During the Development of Sour Rot. *Microbial Ecology*, 64(2), 416-430. <https://doi.org/10.1007/s00248-012-0041-y>
- Dunford, J. C., & Kaufman, P. E. (2006). Lesser mealworm, litter beetle, *Alphitobius diaperinus* (Panzer)(Insecta: Coleoptera: Tenebrionidae).Entomology and Nematology Department, Institute of Food andAgricultural Sciences, University of Florida. 1-12. <https://doi.org/10.32473/edis-in662-2006>.
- Falahudin, I., Pane, E. R., & Mawar, E. (2015). Identifikasi Serangga Ordo Coleoptera Pada Tanaman Mentimun (*Cucumis Sativus L*) Di Desa Tirta Mulya Kecamatan. *Jurnal Biota*, 1(1): 9–15.
- Fakhrah, F. (2016). Inventarisasi Insekta Permukaan Tanah Di Gampong Krueng Simpo Kecamatan Juli Kabupaten Bireuen. *Jurnal Pendidikan Almuslim*, 4(1): 116-881.
- Hasyimuddin, Syahribulan, & Usman, A.A. (2017). Peran Ekologis serangga tanah di perkebunan Patallasang Gowa Silawesi Selatan. *Prosiding Seminar National Biology For Life, November*, 3(3): 70-78.

Kementerian Pertanian . 2019. Hasil Produksi Jagung Nasional 2019.

[Kementan] Kementerian Pertanian. 2019. *Pengenalan Fall Armyworm (Spodoptera frugiperda J. E. Smith) Hama Baru pada Tanaman Jagung di Indonesia*. Jakarta (ID): Balai Penelitian Tanaman Serealia. 64 p.

Haris 2010, 'Pertimbangan dan Produksi Kentang pada berbagai dosis pemupukan', *Jurnal Agrisistem* 6(1): 15-22.

Kaur,M., Kumar,R., Upendrabhai,DP., Singh,IP and Kaur, S. 2016. Impact of sesquiterpens from *Inula racemosa* (Asteraceae) on growth, development and nutrition of *Spodoptera litura* (Lepidoptera: Noctuidae) . *Pest Management Science*. 73; 1031-1038. <https://doi.org/10.1002/ps.4429>

Lukmanul Hakim, Erdi Surya, A.M. (2016). Pengendalian Alternatif Hama Serangga Sayuran dengan Menggunakan Perangkap Kertas, *Jurnal Agro*, 3(2): 21-33.

Muhibah, T.I., & Leksono, A. S. (2015). Ketertarikan Arthropoda Terhadap Blok Refugia (*Ageratum Conyzoides* L., *Capsium Frutescens* L., dan *Tagetes Erecta* L.) Dengan Aplikasi Pupuk Organik Cair dan Biopestisida di Perkebunan Apel Desa Poncokusumo, *Jurnal Biotropika*, 3(3): 123-127.

Meilin, A & Nasamsir. 2016. Serangga dan Peranannya Dalam Bidang Pertanian Dan Kehidupan, *Jurnal Media Pertanian*, 1(1): 18-28. <https://doi.org/10.33087/jagro.v1i1.12>

Nuraini, A. 2016. Rekayasa source - sink dengan pemberian zat pengatur tumbuh untuk meningkatkan produksi benih kentang di dataran medium desa Margawati Kabupaten Garut, *Jurnal Kultivasi*. 15(1): 3-6. <https://doi.org/10.24198/kltv.v15i1.12002>

Pinontoan, O. R., Lengkong, M., & Makal, H. V. G. (2011). HAMA PENTING TANAMAN UBI JALAR (*Ipomea batatas* L.(Lamb)) DI KABUPATEN MINAHASA, MINAHASA UTARA, DAN KOTA TOMOHON. *Eugenia*,17(2), 114-122. <https://doi.org/10.35791/eug.17.2.2011.3532>.

Reddy, M.R.N., and S.G.Ammika., 2015, Modelling and Optimazation of Solar Light Trap For Reducing and Controlling the Pest Population. *International Journal of Engenering*, 3(4): 224-234. <https://doi.org/10.15575/860>

- Saeed, S., Sajjad, A., Kwon, O., & Kwon, Y. J. (2008). Fidelity of Hymenoptera and Diptera pollinators in onion (*Allium cepa* L.) pollination. *Entomological Research*, 38(4): 276– 280. <https://doi.org/10.1111/j.1748-5967.2008.00187.x>
- Sunarto, T., & Irwan, A. W. (2019). Testing of Entomopathogenic Nematode *Steinernema* spp. Concentration on Mortality of *Lepidiota stigma* F. (Coleoptera: Scarabaeidae). *CROPSAVER - Journal of Plant Protection*, 2(2): 77. <https://doi.org/10.24198/cropsaver.v2i2.23947>.
- Schubert, R et al, 2009. *Future Bioenergy And Sustainable Land Use*. Malta: Gutenberg Press. <https://doi.org/10.4324/9781849774505>
- Satria, R., Viet., B. T., & Eguchi, K. (2017). New synonymy and redescription of *Anochitus mixtus* Radchenko, 1993, and distinction from the other members of the *Anochetus rugosus* group (Hymenoptera: Formicidae: Ponerinae). *Asian Myrmecology*, 9(1993). <http://doi.org/10.20362/am.009006>.
- Theurkar, S. V., S. R. Patil, M. K. Ghadage, Y. B. Yaware, and S. S. Madan. 2012. Distribution and abundance of white grubs (Coleoptera, Scarabidae) in Khed Taluka, parts of northern and western Ghats MS, India. *International Research Journal of Biological Sciences*, 1(7): 58-60.
- Theurkar, S. V., M. K. Ghadage, and S. R. Patil. 2013. New laboratory culture method for white grub national pest, India. *International Research Journal of Biological Sciences*, 2(5): 83-85.