

REFERENCE

- Liu J, Guo D, Zhou Y, Wu Z, Li W, Zhao F, Zheng X. Identification of ancient textiles from Yingpan, Xinjiang, by multiple analytical techniques. *J Archaeol Sci* 2011;38:1763–70. <https://doi.org/10.1016/j.jas.2011.03.017>.
- Al-Tohamy R, Ali SS, Li F, Okasha KM, Mahmoud YAG, Elsamahy T, Jiao H, Fu Y, Sun J. A critical review on the treatment of dye-containing wastewater: Ecotoxicological and health concerns of textile dyes and possible remediation approaches for environmental safety. *Ecotoxicol Environ Saf* 2022;231. <https://doi.org/10.1016/j.ecoenv.2021.113160>.
- RAI HS, BHATTACHARYYA MS, SINGH J, BANSAL TK, VATS P, BANERJEE UC. Removal of dyes from the effluent of textile and dyestuff manufacturing industry: a review of emerging techniques with reference to biological treatment. *Crit Rev Environ Sci Technol* 2005;35:219–38. <https://doi.org/10.1080/10643380590917932>.
- Liu J, Wang N, Zhang H, Baeyens J. Adsorption of Congo red dye on FeCo₃-XO₄ nanoparticles. *J Environ Manag* 2019;238:473–83. <https://doi.org/10.1016/j.jenvman.2019.03.009>.
- Gürses, M. Açıkyıldız, K. Güneş, M.S. Gürses, Classification of Dye and Pigments, in: 2016: pp. 31–45. (https://doi.org/10.1007/978-3-319-33892-7_3).
- Radoor S, Karayil J, Parameswaranpillai J, Siengchin S. Removal of anionic dye Congo red from aqueous environment using polyvinyl alcohol/sodium alginate/ZSM-5 zeolite membrane. *Sci Rep* 2020;10. <https://doi.org/10.1038/s41598-020-72398-5>.
- Khadhraoui M, Trabelsi H, Ksibi M, Bouguerra S, Elleuch B. Discoloration and detoxification of a Congo red dye solution by means of ozone treatment for a possible water reuse. *J Hazard Mater* 2009;161:974–81. <https://doi.org/10.1016/j.jhazmat.2008.04.060>.
- Kristianto H, Rahman H, Prasetyo S, Sugih AK. Removal of Congo red aqueous solution using *Leucaena leucocephala* seed's extract as natural coagulant. *Appl Water Sci* 2019;9:88. <https://doi.org/10.1007/s13201-019-0972-2>.
- Khumalo NP, Vilakati GD, Mhlanga SD, Kuvarega AT, Mamba BB, Li J, Dlamini DS. Dual-functional ultrafiltration nano-enabled PSf/PVA membrane for the removal of Congo red dye. *J Water Process Eng* 2019;31:100878. <https://doi.org/10.1016/j.jwpe.2019.100878>.
- Sathishkumar K, AlSalhi MS, Sanganyado E, Devanesan S, Arulprakash A, Rajasekar Sequential electrochemical oxidation and bio-treatment of the azo dye congo red and textile effluent. *J Photochem Photobiol B* 2019;200:111655. <https://doi.org/10.1016/j.jphotobiol.2019.111655>.
- Khan AA, Naqvi SR, Ali I, Farooq W, Anjum MW, AlMohamadi H, Lam SS, Verma M, Ng HS, Liew RK. Algal biochar: a natural solution for the removal of Congo red dye from textile wastewater. *J Taiwan Inst Chem Eng* 2023;105312. <https://doi.org/10.1016/j.jtice.2023.105312>.
- Khamparia S, Jaspal D. Technologies for Treatment of Colored Wastewater from Different Industries. *Handbook of Environmental Materials Management*.

- Cham: Springer International Publishing,; 2018. p. 1–14. https://doi.org/10.1007/978-3-319-58538-3_8-1.
- Rahmani M, Dadvand Koochi A. Adsorption of malachite green on the modified montmorillonite/Xanthan gum-sodium alginate hybrid nanocomposite. *Polym Bull* 2022;79:8241–67. <https://doi.org/10.1007/s00289-021-03889-2>.
- Hidayat E, Harada H, Mitoma Y, Yonemura S, Halem HIA. Rapid removal of acid red 88 by zeolite/chitosan hydrogel in aqueous solution. *Polymers* 2022;14. <https://doi.org/10.3390/polym14050893>.
- Munagapati VS, Yarramuthi V, Kim Y, Lee KM, Kim DS. Removal of anionic dyes (Reactive Black 5 and Congo Red) from aqueous solutions using Banana Peel Powder as an adsorbent. *EcotoXicol Environ Saf* 2018;148:601–7. <https://doi.org/10.1016/j.ecoenv.2017.10.075>.
- Aslam U, Javed T. Potential of Citrus limetta peel powder (CLPP) for adsorption of hazardous Congo red dye from wastewater. *Water Pr Technol* 2023;18:1051–73. <https://doi.org/10.2166/wpt.2023.068>.
- Li Y, Meas A, Shan S, Yang R, Gai X. Production and optimization of bamboo hydrochars for adsorption of Congo red and 2-naphthol. *Bioresour Technol* 2016;207:379–86. <https://doi.org/10.1016/j.biortech.2016.02.012>.
- Chawla S, Uppal H, Yadav M, Bahadur N, Singh N. Zinc peroXide nanomaterial as an adsorbent for removal of Congo red dye from waste water. *EcotoXicol Environ Saf* 2017;135:68–74. <https://doi.org/10.1016/j.ecoenv.2016.09.017>.
- Zhao J, Lu Z, He X, Zhang X, Li Q, Xia T, Zhang W, Lu C. Fabrication and Characterization of Highly Porous Fe(OH)₃@Cellulose Hybrid Fibers for Effective Removal of Congo Red from Contaminated Water. *ACS Sustain Chem Eng* 2017;5:7723–32. <https://doi.org/10.1021/acssuschemeng.7b01175>.
- Ahmad R, Kumar R. Adsorptive removal of congo red dye from aqueous solution using bael shell carbon. *Appl Surf Sci* 2010;257:1628–33. <https://doi.org/10.1016/j.apsusc.2010.08.111>.
- Baigorria E, Cano LA, Sanchez LM, Alvarez VA, Ollier RP. Bentonite-composite polyvinyl alcohol/alginate hydrogel beads: Preparation, characterization and their use as arsenic removal devices. *Environ Nanotechnol Monit Manag* 2020;14. <https://doi.org/10.1016/j.enmm.2020.100364>.
- Chen T, Liu H, Gao J, Hu G, Zhao Y, Tang X, Han X. Efficient removal of methylene blue by bio-based sodium alginate/lignin composite hydrogel beads. *Polymers* 2022;14. <https://doi.org/10.3390/polym14142917>.
- Frent OD, Vicas LG, Duteanu N, Morgovan CM, Jurca T, Pallag A, Muresan ME, Filip SM, Lucaciu RL, Marian E. Sodium Alginate—Natural Microencapsulation Material of Polymeric Microparticles. *Int J Mol Sci* 2022;23. <https://doi.org/10.3390/ijms232012108>.
- Tang S, Zhao Y, Wang H, Wang Y, Zhu H, Chen Y, Chen S, Jin S, Yang Z, Li P, Li S. Preparation of the sodium alginate-g-(polyacrylic acid-co-allyltrimethylammonium chloride) polyampholytic superabsorbent polymer and its dye adsorption property. *Mar Drugs* 2018;16. <https://doi.org/10.3390/md16120476>.
- Hidayat E, Sarbani NMM, Lahiri SK, Samitsu S, Yonemura S, Mitoma Y, Harada H. Effects of sodium alginate-poly(acrylic acid) cross-linked hydrogel beads on soil conditioner in the absence and presence of phosphate and carbonate ions. *Case Stud Chem Environ Eng* 2024;9:100642.

- <https://doi.org/10.1016/j.cscee.2024.100642>.
- Thakur S, Arotiba OA. Synthesis, swelling and adsorption studies of a pH-responsive sodium alginate–poly(acrylic acid) superabsorbent hydrogel. *Polym Bull* 2018;75:4587–606. <https://doi.org/10.1007/s00289-018-2287-0>.
- Merakchi A, Bettayeb S, Drouiche N, Adour L, Lounici H. Cross-linking and modification of sodium alginate biopolymer for dye removal in aqueous solution. *Polym Bull* 2019;76:3535–54. <https://doi.org/10.1007/s00289-018-2557-X>.
- Aljeboree AM, Alkaim AF. Studying removal of anionic dye by prepared highly adsorbent surface hydrogel nanocomposite as an applicable for aqueous solution. *Sci Rep* 2024;14:9102. <https://doi.org/10.1038/s41598-024-59545-y>.
- Mokeddem A, Benykhlef S, Bendaoudi AA, Boudouaia N, Mahmoudi H, Bengharez Z, Topel SD, Topel Ö. Sodium Alginate-based composite films for effective removal of congo red and coralene dark red 2b dyes: kinetic, isotherm and thermodynamic analysis. *Water* 2023;15:1709. <https://doi.org/10.3390/w15091709>.
- Lal Maurya K, Swain G, Kumar Sonwani R, Verma A, Sharan Singh R. Biodegradation of Congo red dye using polyurethane foam-based biocarrier combined with activated carbon and sodium alginate: batch and continuous study. *Bioresour Technol* 2022;351:126999. <https://doi.org/10.1016/j.biortech.2022.126999>.
- Hua Z, Pan Y, Hong Q. Adsorption of Congo red dye in water by orange peel biochar modified with CTAB. *RSC Adv* 2023;13:12502–8. <https://doi.org/10.1039/D3RA01444D>.
- Al-Rubai HF, Al-dahan AKH, Jasim BA. Green Synthesis of Iron Oxide Nanoparticles and Their Modification with CTAB for the Decolorization of Dye Reactive Blue 238. *Iraqi J Sci* 2023;1592–600. <https://doi.org/10.24996/ij.s.2023.64.4.2>.
- Prajapati AK, Mondal MK. Novel green strategy for CuO–ZnO–C nanocomposites fabrication using marigold (*Tagetes* spp.) flower petals extract with and without CTAB treatment for adsorption of Cr(VI) and Congo red dye. *J Environ Manag* 2021;290:112615. <https://doi.org/10.1016/j.jenvman.2021.112615>.
- Khalfallah A. Structure and Applications of Surfactants. *Surfactants - Fundamental Concepts and Emerging Perspectives*. IntechOpen,; 2024. <https://doi.org/10.5772/intechopen.111401>.
- Akl MA, Mostafa AG, Abdelaal MY, Nour MAK. Surfactant supported chitosan for efficient removal of Cr(VI) and anionic food stuff dyes from aquatic solutions. *Sci Rep* 2023;13:15786. <https://doi.org/10.1038/s41598-023-43034-9>.
- Tadros T. Surfactants. *Encyclopedia of Colloid and Interface Science*. Berlin, Heidelberg: Springer Berlin Heidelberg,; 2013. p. 1242–90. https://doi.org/10.1007/978-3-642-20665-8_40.
- Palmer M, Hatley H. The role of surfactants in wastewater treatment: Impact, removal and future techniques: A critical review. *Water Res* 2018;147:60–72. <https://doi.org/10.1016/j.watres.2018.09.039>.
- Zhu L, Yang H, He Y. Sodium dodecyl sulfate assisted synthesis hydroxyapatite for effective adsorption of methylene blue. *J Dispers Sci Technol* 2023;44:1618–27. <https://doi.org/10.1080/01932691.2022.2030237>.
- Azizi A, Abouda L, Cherifi H, Krika A, Krika F. Enzymatic regeneration of modified cork with sodium dodecyl through the cationic dye removal from

- aqueous solution. *Desalin Water Treat* 2022;265:157–63. <https://doi.org/10.5004/dwt.2022.28626>.
- Sarabadan M, Bashiri H, Mousavi SM. Efficient removal of crystal violet from solution by montmorillonite modified with docosyl-trimethylammonium chloride and sodium dodecyl sulfate: modelling, kinetics and equilibrium studies. *Clay Min* 2022;57:7–20. <https://doi.org/10.1180/clm.2022.15>.
- Hong M, Wang Y, Wang R, Sun Y, Yang R, Qu L, Li Z. Poly(sodium styrene sulfo- nate) functionalized graphene as a highly efficient adsorbent for cationic dye re- moval with a green regeneration strategy. *J Phys Chem Solids* 2021;152:109973. <https://doi.org/10.1016/j.jpics.2021.109973>.
- Ouasfi N, Sabbar E, Khamliche L. Intercalated double layer hydroXide with sodium lauryl sulfate for cationic dye adsorption from aqueous solution. *Nanotechnol Environ Eng* 2022;7:647–60. <https://doi.org/10.1007/s41204-021-00188-z>.
- Kaur N, Sharma S, Khosla E. Role of Surfactants Cetyl Pyridinium Chloride (CPC) and Cetyltrimethyl Ammonium Bromide (CTAB) in the Reverse Micellar EXtraction of Ternary MiXture of Acid Dyes from Textile Effluent. *Tenside Surfactants Deterg* 2018;55:498–503. <https://doi.org/10.3139/113.110589>.
- Hosseinpour S, Götz V, Peukert W. Effect of Surfactants on the Molecular Structure of the Buried Oil/Water Interface. *Angew Chem Int Ed* 2021;60:25143–50. <https://doi.org/10.1002/anie.202110091>.
- del Caño R, Gisbert-González JM, González-Rodríguez J, Sánchez-Obrero G, Madueño R, Blázquez M, Pineda T. Effective replacement of cetyltrimethylammonium bromide (CTAB) by mercaptoalkanoic acids on gold nanorod (AuNR) surfaces in aqueous solutions. *Nanoscale* 2020;12:658–68. <https://doi.org/10.1039/C9NR09137H>.
- Hua Z, Pan Y, Hong Q. Adsorption of Congo red dye in water by orange peel biochar modified with CTAB. *RSC Adv* 2023;13:12502–8. <https://doi.org/10.1039/D3RA01444D>.
- Lu F, Ding G, Ma X, Huang B, You L. Chitosan-gelatin/cetyltrimethylammonium bromide magnetic polymer composites as reusable high performance adsorbent for AR 18 removal. *J Mol Liq* 2023;391:123303. <https://doi.org/10.1016/j.molliq.2023.123303>.
- Zhu Y, Cui Y, Peng Y, Dai R, Chen H, Wang Y. Preparation of CTAB intercalated bentonite for ultrafast adsorption of anionic dyes and mechanism study. *Colloids Surf A Physicochem Eng Asp* 2023;658:130705. <https://doi.org/10.1016/j.colsurfa.2022.130705>.
- Yang H, Tejado A, Alam N, Antal M, van de Ven TGM. Films Prepared from Electrosterically Stabilized Nanocrystalline Cellulose. *Langmuir* 2012;28:7834–42. <https://doi.org/10.1021/la2049663>.
- Hidayat E, Yoshino T, Yonemura S, Mitoma Y, Harada H. Synthesis, Adsorption Isotherm and Kinetic Study of Alkaline- Treated Zeolite/Chitosan/Fe³⁺ Composites for Nitrate Removal from Aqueous Solution—Anion and Dye Effects. *Gels* 2022;8. <https://doi.org/10.3390/gels8120782>.
- Modrzejewska Z. Sorption mechanism of copper in chitosan hydrogel. *React Funct Polym* 2013;73:719–29. <https://doi.org/10.1016/j.reactfunctpolym.2013.02.014>.
- Qurrat-Ul-Ain, Khatoun J, Shah MR, Malik MI, Khan IAT, Khurshid S, Naz R. Convenient pH-responsive removal of Acid Black 1 by green l-histidine/iron oXide magnetic nanoadsorbent from water: Performance and mechanistic

- studies. *RSC Adv* 2019;9:2978–96. <https://doi.org/10.1039/c8ra09279f>.
- Patel A, Soni S, Mittal J, Mittal A, Arora C. Sequestration of crystal violet from aqueous solution using ash of black turmeric rhizome. *Desalin Water Treat* 2021;220:342–52. <https://doi.org/10.5004/dwt.2021.26911>.
- Naushad M, Ahamad T, Al-Maswari BM, Abdullah Alqadami A, Alshehri SM. Nickel ferrite bearing nitrogen-doped mesoporous carbon as efficient adsorbent for the removal of highly toxic metal ion from aqueous medium. *Chem Eng J* 2017;330:1351–60. <https://doi.org/10.1016/j.cej.2017.08.079>.
- Shayesteh H, Rahbar-Kelishami A, Norouzebeigi R. Evaluation of natural and cationic surfactant modified pumice for Congo red removal in batch mode: Kinetic, equilibrium, and thermodynamic studies. *J Mol Liq* 2016;221:1–11. <https://doi.org/10.1016/j.molliq.2016.05.053>.
- Foroughi-dahr M, Abolghasemi H, Esmaili M, Nazari G, Rasem B. Experimental study on the adsorptive behavior of Congo red in cationic surfactant-modified tea waste. *Process Saf Environ Prot* 2015;95:226–36. <https://doi.org/10.1016/j.psep.2015.03.005>.
- Hidayat E, Mohamad Sarbani NMB, Yonemura S, Mitoma Y, Harada H. Application of Box–Behnken Design to Optimize Phosphate Adsorption Conditions from Water onto Novel Adsorbent CS-ZL/ZrO/Fe₃O₄: Characterization, Equilibrium, Isotherm, Kinetic, and Desorption Studies. *Int J Mol Sci* 2023;24. <https://doi.org/10.3390/ijms24119754>.
- Sami AJ, Butt YN, Nasar S. Elimination of a Carcinogenic Anionic Dye Congo Red from Water Using Hydrogels Based on Chitosan, Acrylamide and Graphene Oxide. *J Bioprocess Biotech* 2018;08. <https://doi.org/10.4172/2155-9821.1000334>.
- Harja M, Buema G, Bucur D. Recent advances in removal of Congo Red dye by adsorption using an industrial waste. *Sci Rep* 2022;12:6087. <https://doi.org/10.1038/s41598-022-10093-3>.
- Gao HJ, Wang SF, Fang LM, Sun GA, Chen XP, Tang SN, Yang H, Sun GZ, Li DF. Nanostructured spinel-type M(M = Mg, Co, Zn)Cr₂O₄ oxides: novel adsorbents for aqueous Congo red removal. *Mater Today Chem* 2021;22:100593. <https://doi.org/10.1016/j.mtchem.2021.100593>.
- Alharbi RA, Alminderej FM, Al-Harby NF, Elmehbad NY, Mohamed NA. Preparation and Characterization of a New Bis-Uracil Chitosan-Based Hydrogel as Efficient Adsorbent for Removal of Anionic Congo Red Dye. *Polym (Basel)* 2023;15:1529. <https://doi.org/10.3390/polym15061529>.
- Zhao D, Shen X. Preparation of Chitosan-Diatomite/Calcium Alginate Composite Hydrogel Beads for the Adsorption of Congo Red Dye. *Water (Basel)* 2023;15:2254. <https://doi.org/10.3390/w15122254>.
- Fadimatou NM, Fotsing PN, Mandjewil A, Siewe JM, Vieillard J, Dotto GL, Woumfo ED, Ngueagni PT. Cetyltrimethylammonium bromide (CTAB) functionalization of sodium silicate from rice husks ash for Naphthol Green B and Congo Red adsorption. *Emergent Mater* 2024. <https://doi.org/10.1007/s42247-024-00655-8>.