

DAFTAR PUSTAKA

- Abd El-Hack, M. E., E. A. Ashour, G. M. Elaraby, A. O. Osman, dan M. Arif. 2018. Influences of dietary supplementation of peanut skin powder (*arachishypogaea*) on growth performance, carcass traits, blood chemistry, antioxidant activity and meat quality of broilers. *Animal Production Science*. 58(5):965–972.
- Akbarian, A., Michiels, J., Degroote, J., Majdeddin, M., Golian, A., & Smet, S. D. 2016. Association between heat stress and oxidative stress in poultry; Mitochondrial dysfunction and dietary interventions with phytochemicals. *Journal of Animal Science and Biotechnology*.
- Alagawany, M., Abd El-Hack, M. E., Farag, M. R., Sachan, S., Karthik, K., & Dhama, K. 2017. The use of probiotics as eco-friendly alternatives for antibiotics in poultry nutrition. *Environmental Science and Pollution Research*, 25(11), 10611–10618.
- Andari, A., E. N. Enisa, R. F. Wulandari, dan D. M. Suci. 2018. Efek suplementasi “jamu rempah” pada puyuh (*coturnix coturnix japonica*) terhadap performa dan kadar kolesterol telur. *Jurnal Ilmu Nutrisi Dan Teknologi Pakan*. 16(2):34-41.
- Anjani, P. P. 2018. potensi antidiabetes ekstrak okra ungu (*Abelmoschus Esculentus*l.) pada tikus model diabetes yang diinduksi streptozotocin. *Journal of Bogor Agricultural Institute*. 1(2), p. 2018.
- Ayala, A., M. Munoz, dan S. Arguelles. 2014. Lipid peroxidation: production, metabolism, and signaling mechanisms of malondialdehyde and 4-hydroxy-2- nonenal antonio. *Acta Neurochirurgica*. Supplement. 98:9–12.
- Bawa, S. H. dan N. Badrie. 2016. Nutrient Profile, Bioactive Components, and Functional Properties of Okra (*Abelmoschus Esculentus* (L.) Moench). Elsevier Inc. Fruits, Vegetables, and Herbs: Bioactive Foods in Health Promotion. Warsaw University: Poland
- Buhler, D.R., Miranda, C.L. and Henderson, M.C., 2016. Role of dietary phytochemicals in alleviating heat stress in poultry. *Journal of Animal Science and Biotechnology*, 7(1), pp.1–14. <https://doi.org/10.1186/s40104-016-0097-5>
- Caurez, C.L. and Olo, C.F., 2013. Laying performance of Japanese quail (*Coturnix coturnix japonica*) supplemented with zinc, vitamin C and E subjected to long-term heat stress. In: Proceedings of the International Conference on Agriculture and Biotechnology (ICAB 2013). IPCBEE, vol. 60, pp. 36–40.

- El-Tarabany, M.S., 2016. Impact of temperature-humidity index on egg-laying characteristics and related stress and immunity parameters of Japanese quails. *International Journal of Biometeorology*, 60(7), pp.957–964. DOI:10.1007/s00484-015-1088-5
- Fauza, A., K. Djamiatun, dan A. N. Al-Baarri. 2019. Studi karakteristik dan uji aktivitas antioksidan dari tepung buah okra (*Abelmoschus Esculentus*). *Jurnal Aplikasi Teknologi Pangan*. 8(4):137.
- Filler, K., D. Lyon, J. Bennett, N. McCain, R. Elswick, N. Lukkahatai, dan L. N. Saligan. 2014. Association of mitochondrial dysfunction and fatigue: a review of the literature. *BBA Clinical*. 1:12-23.
- Fitriana D. W, Fatmawati S, Ersam T. 2015. Uji Aktivitas Antioksidan terhadap DPPH dan ABTS dari Fraksi-fraksi Daun Kelor (*Moringa oleifera*). Bandung
- Franklin. 2015. Okra what is okra?. 105:33–35.
- Gemedede, H. F., Ratta, N., Haki, G. D., Woldegiorgis, A. Z., & Beyene, F. 2015. Nutritional quality and health benefits of okra (*Abelmoschus esculentus*): A review. *Journal of Food Processing & Technology*, 6(4), 1–6.
- Hernawan, E. dan L. Adriani. 2014. The impact of sweet orange waste in rations on blood profile and weight gain of Padjadjaran rams. *University of Agricultural Sciences and Veterinary Medicine Iasi*. 62:22–27.
- Irawan, I., D. Sunarti, dan L. D. Mahfudz. 2012. Kecernaan protein burung puyuh (*coturnix coturnix japonica*) effect of free choice feeding on the protein digestibility of quail (*coturnix-coturnix japonica*). *Animal Agriculture Journal*. 1(2):238–245.
- Khalil, M. M. 2015. Use of enzymes to improve feed conversion efficiency in japanese quail fed a lupin-based diet. 1–41.
- Kim D.H, Lee Y.K, Lee S.D, Kim S.H, Lee S.R, Lee H.G, 2020. Changes in production parameters, egg qualities, fecal volatile fatty acids, nutrient digestibility, and plasma parameters in laying hens exposed to ambient temperature. *Front Vet Sci*. 7:412. doi: 10.3389/fvets.2020.00412
- Lara, L.J. and Rostagno, M.H., 2013. Impact of heat stress on poultry production. *Animals*, 3(2), pp.356–369. <https://doi.org/10.3390/ani3020356>
- Latifa, R. 2007. The increasing of afkir duck's egg quality with pregnant mare's serum gonadotropin (PMSG) hormones. *Jurnal Protein*. 14 (1): 21-30
- Lin, H., Jiao, H.C., Buyse, J., Decuypere, E. 2006. Strategies for preventing heat stress in poultry. *World's Poultry Science Journal*, 62(1), 71-86

- Listiyowati, E. dan Roospitasari, K. 2009. Beternak Puyuh Secara Komersial. Cetakan ke 1. Jakarta. Penebar Swadaya.
- Lou, S. N., Y. S. Hsu, dan C. T. Ho. 2014. Flavonoid compositions and antioxidant activity of calamondin extracts prepared using different solvents. *Journal of Food and Drug Analysis*. 22(3):1-6.
- Martin, P.A., Crawford, R.D. and Hill, R.W., 1998. Reproductive performance and egg characteristics of Japanese quail under different levels of dietary calcium. *Poultry Science*, 77(6), pp.850–855. <https://doi.org/10.1093/ps/77.6.850>
- Mashaly, M.M., Hendricks, G.L., Kalama, M.A., Gehad, A.E., Abbas, A.O., & Patterson, P.H. 2004. Effect of heat stress on production parameters and immune responses of commercial laying hens. *Poultry Science*, 83(6), 889-894.
- Mursito, D., Yunianto, VD., dan Wahyono, F. 2016. Kadar Kalsium dan Fosfor Darah Burung Puyuh Fase Layer dengan Pengaruh Aditif Cair Buah Naga Merah (*Hylocereus Polyrhizus*). Disertasi. Universitas Diponegoro.
- North, M.O dan D.D Bell. 1990. Nutrient Requirements Of Poultry. Washington DC: National Academy of Sciences
- Nyoni, N. M. B., S. Grab, dan E. R. M. Archer. 2018. Heat stress and chickens: climate risk effects on rural poultry farming in low-income countries. *Climate and Development*. 11(1):83–90.
- Nyoni, N. M. B., S. Grab, dan E. R. M. Archer. 2019. Heat stress and chickens: climate risk effects on rural poultry farming in low-income countries. *Climate and Development*. 11(1):83–90.
- Palupi, R., L. Abdullah, D. A. Astuti, dan Sumiati. 2014. Potensi dan pemanfaatan tepung pucuk Indigofera sp. sebagai bahan pakan substitusi bungkil kedelai dalam ransum ayam petelur. *Jurnal Ilmu Ternak dan Veteriner*. 19(3):210–219.
- Palupi, R., L. Abdullah, D. A. Astuti, dan Sumiati. 2015. Potensi dan pemanfaatan tepung pucuk indigofera sp. sebagai bahan pakan substitusi bungkil kedelai dalam ransum ayam petelur. *Jurnal Ilmu Ternak dan Veteriner*. 19(3):210–219.
- Pitaloka, W., 2017. Performa Produksi Telur Puyuh (*Coturnix coturnix japonica*) yang Diberi Ransum Mengandung Bungkil Inti Sawit. Skripsi S1, Universitas Jambi.

- Radhitya, A. 2015. Pengaruh pemberian tingkat protein ransum pada fase grower terhadap pertumbuhan puyuh (*Coturnix coturnix japonica*). Students EJournal. 4(1):1–11.
- Rasyaf. 2003. Beternak Ayam Pedaging. Penerbit PT Swadaya, Jakarta.
- Roy, A., Shrivastava, S.L., Mandal, S.M. 2014. Functional properties of Okra *Abelmoschus esculentus* L. (Moench): traditional claims and scientific evidences. Plant Science Today. 1(3):121-130.
- Sahin, H., T. Gunel, A. Benian, E. O. Ucar, O. Guralp, dan A. Kilic. 2015. Genomic and proteomic investigation of preeclampsia. Experimental and Therapeutic Medicine. 10(2):711–716.
- Sahin, K., Kucuk, O., Sahin, N., & Ozbey, O. 2009. Effects of dietary combination of chromium and biotin on growth performance and oxidative stress in Japanese quails (*Coturnix coturnix japonica*) under heat stress. *Journal of Animal Physiology and Animal Nutrition*, 93(6), 667–675.
- Sahin, K., Kucuk, O., Sahin, N., Ozbey, O. 2009. Effects of chromium and biotin in heat-stressed quails. *Journal of Animal Physiology and Animal Nutrition*, 93(6), 667-675.
- Saligan. 2014. Association of mitochondrial dysfunction and fatigue: A review of the literature. *BBA Clinical*. 1:12–23.
- Saputra, W. Y., L. D. Mahfudz, dan N. Suthama. 2016. Pemberian Pakan Single Step Down dengan Penambahan Asam Sitrat sebagai Acidifier terhadap Performa Pertumbuhan Broiler. *Animal Agriculture Journal*. 2(3):61–72.
- Sarica, S., D. Özdemir, dan H. Öztürk. 2015. The effects of dietary oleuropein and organic selenium supplementation on performance and heat shock protein 70 response of brain in heat-stressed quail. *Italian Journal of Animal Science*. 14:37.
- Setiawan, D. 2006. Performa produksi burung puyuh (*coturnix coturnix japonica*) pada perbandingan jantan dan betina yang berbeda Skripsi S1, Fakultas Peternakan
- Setyono, H., Kusningrum, Mustikoweni, T. Nurhayati, R. Sidik, M. Anam, M. Lamid, M. Lamid, dan W. P. Lokapirnasari. 2013. Teknologi Pakan Hewan. Fakultas Kedokteran Hewan, Universitas Airlangga, Surabaya.
- Silandae, M. and Ulpah, M., 2015. Pengaruh penggunaan pakan tambahan terhadap performa produksi telur puyuh (*Coturnix coturnix japonica*). Laporan Penelitian. Fakultas Peternakan, Universitas Hasanuddin, Makassar

- Slamet, W. 2014. Beternak dan Berbisnis Puyuh 3,5 Bulan Balik Modal. Jakarta: Agromedia Pustaka.
- Standar Nasional Indonesia. 2016. Ransum Puyuh Dara Petelur (Quail Layer).
- Swanson, T. A., Kim, S. I., & Glucksman, M. J. 2010. BRS biochemistry, molecular biology and genetics. Alphen aan den Rijn: Wolters Kluwer.
- Tamzil, M. H. 2014. Stres panas pada unggas: metabolisme, akibat dan upaya penanggulangannya. Indonesian Bulletin of Animal and Veterinary Sciences. 24(2):57–66.
- Ubwa, S., R. Tyohemba, B. Oshido, dan Q. Amua. 2014. Chemical analysis of some wild underutilized mucilaginous vegetables and a domesticated vegetable in benue state, nigeria. British Journal of Applied Science & Technology. 4(32):4566–4574.
- Vercese, F., Garcia, E. A., Sartori, J. R., Silva, A. D. P., Faitarone, A. B. G., Berto, D. A., & Pelícia, K. 2012. Performance and egg quality of Japanese quails submitted to cyclic heat stress. Brazilian Journal of Poultry Science, 14, 37-41.
- Yousef, M.K. 1985. Stress Physiology in Livestock. Poultry. Vol 3. CRC Press. Inc., Boca Raton, Florida. pp. 70-75.
- Zahra, A. A., D. Sunarti, dan E. Suprijatna. 2012. Pengaruh Pemberian Pakan Bebas Pilih (Free choice feeding) Terhadap Performans Produksi Telur Burung Puyuh (*Coturnix coturnix japonica*). Dalam Jurnal Animal Agricultural Journal, 1. Hal. 1 – 11.
- Zaidan, S., D. Rahmat, R. Djamil, dan N. V. Saputri. 2021. Aktivitas ekstrak dan tablet nanopartikel buah okra (*Abelmoschus Esculentus (L) Moench.*) sebagai anti-dislipidemia pada tikus yang diberi high fat diet. Jurnal Ilmu Kefarmasian Indonesia. 19(2):281-286.
- Zainudin, S., dan Syahrudin. 2012. Pemanfaatan Tepung Keong Mas sebagai Substitusi Tepung Ikan dalam Ransum Terhadap Performa dan Produksi Telur Puyuh. Laporan Penelitian. Universitas Negeri Gorontalo.
- Zhang, L., Zhang, H., Qiao, X., Yue, H. and Wu, S., 2019. Effect of dietary curcumin on the antioxidant status of laying hens under high-temperature condition. Poultry Science, 98(11), pp. 5704–5709. <https://doi.org/10.3382/ps/pez287>