

DAFTAR PUSTAKA

- Adiko, S. M., Lasindrang, M., & Ahmad, L. (2023). Pengaruh Konsentrasi Maltodekstrin Terhadap Sifat Fisikokimia Dan Organoleptik Pada Tiliaya Instan. *Jambura Journal of Food Technology (JJFT)*, 5.
- Adjali, A., Clarot, I., Chen, Z., Marchioni, E., & Boudier, A. (2022). Physicochemical degradation of phycocyanin and means to improve its stability: A short review. *Journal of Pharmaceutical Analysis*, 12(3), 406–414. <https://doi.org/10.1016/j.jpha.2021.12.005>.
- Ahmed, A. S., Alsultan, M., Sabah, A. A., & Swiegers, G. F. (2023). Carbon Dioxide Adsorption by a High-Surface-Area Activated Charcoal. *Journal of Composites Science*, 7(5). <https://doi.org/10.3390/jcs7050179>.
- Aminin, A. L., Milarsih, Y., & Mulyani, N. S. (2022). solasi dan Karakterisasi Amilase Termotabildari *Geobacillus dYtae-14*. *Greensphere: Journal of Environmental Chemistry*, 2(2), 1–6.
- Aoki, J., Sasaki, D., & Asayama, M. (2021). Development of a method for phycocyanin recovery from filamentous cyanobacteria and evaluation of its stability and antioxidant capacity. *BMC Biotechnology*, 21(1). <https://doi.org/10.1186/s12896-021-00692-9>.
- Assyifa, N., Dewi, Y. S., & Silmi, A. (2023). Efektivitas Penggunaan Abu Sekam Padi (*Oryza Sativa*) Sebagai Adsorben Terhadap Kadar Besi (Fe) Pada Pengolahan Air Baku. *Jurnal TechLINK*, 7(1).
- Astuti, W. M., Nurcahya Dewi, E., & Kurniasih, R. A. (2019). The Effect of Differents Solvent and Temperature during Extraction on the Stability Microcapsules from *Spirulina platensis*. In *Jurnal Ilmu dan Teknologi Perikanan* (Vol. 1, Issue 1).
- Bennett, A., & Bogorad, L. (1975). Complementary Chromatic Adaptation In A Filamentous Blue-Green Alga. *J Cell Biol*, 58(2), 419–435.
- Chaiklahan, R., Chirasuwan, N., & Bunnag, B. (2012). Stability of phycocyanin extracted from *Spirulina* sp.: Influence of temperature, pH and preservatives. *Process Biochemistry*, 47(4), 659–664. <https://doi.org/10.1016/j.procbio.2012.01.010>.
- Dewi, E. N., Purnamayati, L., & Kurniasih, R. A. (2023). *The effect of different drying methods to the phycocyanin microcapsules using different combination of wall materials*. 050006. <https://doi.org/10.1063/5.0141036>.

- Diharyo. (2020). Effectiveness Test Of Absorption Capacity Of Activated Charcoal By Immersing H₃po₄ And Grain Size Palm Oil Shells On Installation Of Peat Water Treatment. *International Journal of Research -GRANTHAALAYAH*, 8(5), 383–389. <https://doi.org/10.29121/granthaalayah.v8.i5.2020.228/>
- Hardiningtyas, S. D., Setyaningsih, I., & Susila, A. A. R. (2022). Effect of ultrasonication-assisted extraction time on the profile of phycocyanin from wet biomass *Spirulina plantesis*. *IOP Conference Series: Earth and Environmental Science*, 1033(1). <https://doi.org/10.1088/1755-1315/1033/1/012055>.
- Hayati, R. N., Rohmah, I. A., Sa'adah, K., Hikmawati, S. N., & Muflihati, I. (2024). Pembuatan Yoghurt Bubuk Susu Kedelai (*Glycine max* L.Meriil) Menggunakan Metode Foam Mat Drying dengan Penambahan Maltodekstrin Sebagai Bahan Penyalut. *METANA*, 20(1), 27–39. <https://doi.org/10.14710/metana.v20i1.58805>.
- Hekiem, N. L. L., Md Ralib, A. A., Mohd Hatta, M. A., Ahmad, F. B., Nordin, A. N., Ab Rahim, R., & Za'bah, N. F. (2021). Effect of chitosan dissolved in different acetic acid concentration towards VOC sensing performance of quartz crystal microbalance overlay with chitosan. *Materials Letters*, 291. <https://doi.org/10.1016/j.matlet.2021.129524>.
- Jati, I. R. A., Hadisaputra, N., Setijawaty, E., & Yoshari, R. M. (2023). Aplikasi enkapsulan hydroxy propyl methyl cellulose dan gum arab pada pembuatan bubuk semangka. *Agrointek: Jurnal Teknologi Industri Pertanian*, 17(4), 896–907. <https://doi.org/10.21107/agrointek.v17i4.17231>.
- Kaczorowska, M. A., & Bożejewicz, D. (2024). The Application of Chitosan-Based Adsorbents for the Removal of Hazardous Pollutants from Aqueous Solutions—A Review. In *Sustainability (Switzerland)* (Vol. 16, Issue 7). Multidisciplinary Digital Publishing Institute (MDPI). <https://doi.org/10.3390/su16072615>.
- Krakauskaitė, U., Aboobacker, S., Kitrytė-Syrpa, V., & Syrpas, M. (2025). Optimised Extraction and Purification of Dual-Function Cosmetic-Grade Phycocyanin and Allophycocyanin from Dried *Arthrospira platensis* Biomass Using Conventional Methods. *Applied Sciences (Switzerland)*, 15(2). <https://doi.org/10.3390/app15020532>.
- Kuhnholz, J., Glockow, T., Siebecke, V., Le, A. T., Tran, L. D., & Noke, A. (2024). Comparison of different methods for extraction of phycocyanin from the cyanobacterium *Arthrospira maxima* (*Spirulina*). *Journal of Applied Phycology*, 36(4), 1725–1735. <https://doi.org/10.1007/s10811-024-03224-y>.
- Li, Q., Zhang, L., Liao, W., Liu, J., & Gao, Y. (2024). Effects of chitosan molecular weight and mass ratio with natural blue phycocyanin on physiochemical and structural stability of protein. *International Journal of Biological Macromolecules*, 256. <https://doi.org/10.1016/j.ijbiomac.2023.128508>.

- Liang, Y., Deng, L., Feng, Z., Ouyang, Q., Wu, X., Quan, W., Zhu, Y., Ye, H., Wu, K., & Luo, H. (2023). A Chitosan-Based Flocculation Method for Efficient Recovery of High-Purity B-Phycoerythrin from a Low Concentration of Phycobilin in Wastewater. *Molecules*, 28(8). <https://doi.org/10.3390/molecules28083600>.
- Lin, J., Pang, Y., Huo, Y., Jiang, J., Zhou, B., & Shang, C. (2025). Extraction, purification and characterization of *Spirulina* phycocyanin. *Algal Research*, 85. <https://doi.org/10.1016/j.algal.2024.103861>.
- Lukman Hekiem, N. L., Md Ralib, A. A., Mohd Hatta, M. A., Ahmad, F. B., Nordin, A. N., Ab Rahim, R., & Za'bah, N. F. (2021). Effect of chitosan dissolved in different acetic acid concentration towards VOC sensing performance of quartz crystal microbalance overlay with chitosan. *Materials Letters*, 291. <https://doi.org/10.1016/j.matlet.2021.129524>.
- Lutfi, M., Hanafi, Susilo, B., Prasetyo, J., Sandra, & Prajogo, U. (2021). Characteristics of activated carbon from coconut shell (*Cocos nucifera*) through chemical activation process. *IOP Conference Series: Earth and Environmental Science*, 733(1). <https://doi.org/10.1088/1755-1315/733/1/012134>.
- Malik, A., Ahmad, A. R., & Najib, A. (2017). Pengujian Aktivitas Antioksidan Ekstrak Terpurifikasi Daun Teh Hijau Dan Jati Belanda. *Jurnal Fitofarmaka Indonesia*, 4(2), 238–240.
- Mauliasari, E. S., Agustini, T. W., & Amalia, U. (2019). Stabilisasi Fikosianin *Spirulina platensis* Dengan Perlakuan Mikroenkapsulasi Dan Ph. *JPHPI*, 22(3), 526–534.
- Nowak, D., & Jakubczyk, E. (2020). The freeze-drying of foods the characteristic of the process course and the effect of its parameters on the physical properties of food materials. *Foods*, 9(10). <https://doi.org/10.3390/foods9101488>.
- Pan-utai, W., & Iamtham, S. (2019). Extraction, purification and antioxidant activity of phycobiliprotein from *Arthrospira platensis*. *Process Biochemistry*, 82, 189–198. <https://doi.org/10.1016/j.procbio.2019.04.014/>
- Payne, E. J. R., Griffiths, M., Harrison, S. T. L., & Fagan-Endres, M. A. (2025a). Exploring the activated charcoal adsorption column to improve cosmetic grade C-phycocyanin purification from *Spirulina*. *Journal of Applied Phycology*, 37(2), 885–897. <https://doi.org/10.1007/s10811-025-03458-4>.
- Payne, E. J. R., Griffiths, M., Harrison, S. T. L., & Fagan-Endres, M. A. (2025b). Exploring the activated charcoal adsorption column to improve cosmetic grade C-phycocyanin purification from *Spirulina*. *Journal of Applied Phycology*, 37(2), 885–897. <https://doi.org/10.1007/s10811-025-03458-4>.

- Pez Jaeschke, D., Rocha Teixeira, I., Damasceno Ferreira Marczak, L., & Domeneghini Mercali, G. (2021). Phycocyanin from *Spirulina*: A review of extraction methods and stability. *Food Research International*, 143, 110314. <https://doi.org/10.1016/j.foodres.2021.110314>.
- Pramesti, R. D., Anggarini, A., Salma, L., & Postha, A. K. R. (2024). Model penggunaan kombinasi warna pada desain kemasan makanan ringan terhadap minat konsumen. *Jurnal Desain*, 12(1), 156. <https://doi.org/10.30998/jd.v12i1.21050>.
- Purnama, F. N. W., Agustini, T. W., & Kurniasih, R. A. (2020). The effect of different temperature on the stability of phycocyanin on microcapsule *Spirulina platensis*. *IOP Conference Series: Earth and Environmental Science*, 530(1). <https://doi.org/10.1088/1755-1315/530/1/012008>.
- Purnamayati, L., Dewi, E. N., & Kurniasih, R. A. (2018). Phycocyanin stability in microcapsules processed by spray drying method using different inlet temperature. *IOP Conference Series: Earth and Environmental Science*, 116(1). <https://doi.org/10.1088/1755-1315/116/1/012076>.
- Rahman, D. Y., Susilaningsih, D., & Van Der Maarel, M. J. E. C. (2021). Effect of light and preservatives on the stability of the phycocyanin from the extremophilic red microalgae *Cyanidioschyzon merolae*. *IOP Conference Series: Earth and Environmental Science*, 762(1). <https://doi.org/10.1088/1755-1315/762/1/012034>.
- Reubun, Y. T. A., Kumala, S., Setyahadi, S., & Simanjuntak, P. (2020). Pengeringan Beku Ekstrak Herba Pegagan (*Centella asiatica*). *Sainstech Farma: Jurnal Ilmu Kefarmasian*, 13(2), 113–117.
- Romdani, M., Sawiji, H., & Subarno, A. (2021). Pelaksanaan Program Magang Dunia Usaha Dan Industri Ditinjau Dari Persepsi Mahasiswa Program Studi Pendidikan Administrasi Perkantoran Fkip Uns Tahun 2019. *Jurnal Informasi Dan Komunikasi Administrasi Perkantoran*, 5(1), 31–42.
- Safaei, M., Maleki, H., Soleimanpour, H., Norouzy, A., Zahiri, H. S., Vali, H., & Noghabi, K. A. (2019). Development of a novel method for the purification of C-phycocyanin pigment from a local cyanobacterial strain *Limnothrix* sp. NS01 and evaluation of its anticancer properties. *Scientific Reports*, 9(1). <https://doi.org/10.1038/s41598-019-45905-6>.
- Saskiaoktavian, B. (2020). Stability of Phycocyanin Extracted from *Spirulina maxima* in different pH from Indoor and Semioutdoor Cultivation. *Journal of Microbial Systematics and Biotechnology*, 2(1), 1–9. <https://doi.org/10.37604/jmsb.v2i1.33>.
- Savary, M., Sazedj, S., & Pinto, J. F. G. da C. (2024). Chitin and chitosan: Structure, properties and applications, some perspective on building preservation. *MATEC*

Web of Conferences, 396, 02002.
<https://doi.org/10.1051/mateconf/202439602002>.

- Setyaningsih, T. (2016). Aktivitas Hayati Pigmen Fikosianin Dari Mikroalga Btm 11 Setelah Pemurnian Dengan Kitosan Dan Arang Aktif. *Skripsi. Fakultas Sains Dan Teknologi. Universitas Islam Negeri Syarif Hidayatulla*.
- Sewalt, E. J. G., Zhang, F., van Steijn, V., van Ommen, J. R., & Meesters, G. M. H. (2021). Static and Dynamic Stickiness Tests to Measure Particle Stickiness. *KONA Powder and Particle Journal*, 38(0), 2021017. <https://doi.org/10.14356/kona.2021017>.
- Shaochen, B. (2016). Extracting Phycocyanin From Spirulina And Hydrothermal Liquefaction Of Its Residues To Produce Bio-Crude Oil. *Thesis. University of Illinois at Urbana-Champaign*.
- Sianipar, A. J. (2021). Optimasi Ekstraksi Fikosianin Dari Spirulina Platensis Menggunakan Metode Freeze-Thaw Dengan Pengaturan Waktu Operasi Dan Jumlah Siklus. *Skripsi. Fakultas Teknik. Universitas Indonesia*.
- Sianipar, A. J., & Dianursanti, D. (2024). Enhancement of phycocyanin extraction from Spirulina platensis by freeze-thaw method: A study about synergy with ultrasonication process and optimization of freezing time. *AIP Conference Proceedings*, 2710(1). <https://doi.org/10.1063/5.0157713>.
- Sunandar, H. V., & Husni, A. (2025). Antioxidant Activity of Arthrospira platensis Phycocyanin Extracted Using Dimethyl Sulfoxide. *Jurnal Pengolahan Hasil Perikanan Indonesia*, 28(5), 479–493. <https://doi.org/10.17844/jphpi.v28i5.62378>.
- Tan, H. T., Khong, N. M. H., Khaw, Y. S., Ahmad, S. A., & Yusoff, F. M. (2020). Optimization of the freezing-thawing method for extracting phycobiliproteins from arthrospira sp. *Molecules*, 25(17). <https://doi.org/10.3390/molecules25173894>.
- Tanongkankit, Y., Eadmusik, S., Detchewa, P., Budsabun, T., Panphut, W., Jakkranhawat, N., Rittisak, S., Nonthanum, P., & Phungamngoen, C. (2023). Volatile aroma and physicochemical characteristics of freeze-dried coconut water using different encapsulating agents. *Scientific Reports*, 13(1), 20148. <https://doi.org/10.1038/s41598-023-46610-1>.
- Taufik, Haeruddin, & Nuriansi. (2023). Uji Aktivitas Antioksidan Fraksi n-Heksan dan Etil Asetat Daun Kelor (Moringa oleifera). *Jurnal Kimia Dan Pendidikan Kimia*, 12. <http://sains.uho.ac.id/index.php/journal>.
- Tavanandi, H. A., Mittal, R., Chandrasekhar, J., & Raghavarao, K. S. M. S. (2018). Simple and efficient method for extraction of C-Phycocyanin from dry biomass of Arthrospira platensis. *Algal Research*, 31, 239–251. <https://doi.org/10.1016/j.algal.2018.02.008>.

- Wahyuningsih, S. A., Wijayati, N., & Syahida Ni, N. (2024). Identification of Volatile Organic Compounds (VOCs) in Clove and Moringa Tea and their Antioxidant Activities using the DPPH Method. *Indonesian Journal of Chemical Science*, 13(3). <http://journal.unnes.ac.id/sju/index.php/ijcs>.
- Yuan, L., Zhang, Q., Liu, D., Zhao, W., & Yu, Z. (2025). Identification of salty and saltiness-enhancing peptides derived from phycocyanin in *Arthrospira platensis*. *Food Bioscience*, 66, 106213. <https://doi.org/10.1016/j.fbio.2025.106213>.
- Yuliani, Agustini, T. W., Nurcahya Dewi, E., & Nur Afifah, D. (2023). Purifikasi Fikosianin Dari *Spirulina Platensis* Hasil Intervensi Kemangi (*Ocimum Basilicum*) Pada Konsentrasi Amonium Sulfat Berbeda. *Jurnal Pengolahan Hasil Perikanan*, 26(3), 448–459. <https://doi.org/10.17844/jphpi>.