

## DAFTAR PUSTAKA

- Anwar, C., Irhami, & Kemalawaty, M. (2018). KARAKTERISASI SIFAT FISIKOKIMIA PATI UBI JALAR DENGAN MENGENAL JENIS VARIETAS DAN LAMA PENGERINGAN. *Jurnal Teknotan*, 12(2), 1–8.
- Awang, R., & Hanif, M. (2021). SYNTHESIS AND CHARACTERIZATION OF ACETOL FROM PALM- BASED GLYCEROL. *Malaysian Journal of Analytical Sciences*, 25(4), 669–677.
- Aziz, A., Raman, A., Tan, H. W., & Buthiyappan, A. (2019). Two-Step Purification of Glycerol as a Value Added by Product From the Biodiesel Production Process. *Frontiers in Chemistry* |, 7(November 2019), 1–9. <https://doi.org/10.3389/fchem.2019.00774>
- Aziz, I., Las, T., & Shabrina, D. A. (2014). Pemurnian Crude Glycerol Dengan Cara Pengasaman dan Adsorpsi Menggunakan Zeolit Alam Lampung. *Chem. Prog*, 7(2), 66–73.
- Barbosa, F. F., Tavares, J. E., Albuquerque, A. dos R., Torres, M. A. M., Pergher, S. B. C., Braga, T. P., & Rodriguez-Castellon, E. (2023). Catalytic dehydration of glycerol over Cu – Fe – Al- based oxides : understanding changes in active sites throughout the reaction. *RSC Advances*, 13, 31182–31200. <https://doi.org/10.1039/d3ra05454c>
- Basu, S., & Sen, A. K. (2021). A Review on Catalytic Dehydration of Glycerol to Acetol. *Aiche Journal*, 8(6), 633–653. <https://doi.org/10.1002/cben.202100009>
- Basu, S., Sen, A. K., & Mukherjee, M. (2019). Synthesis and performance evaluation of silica-supported 7 catalyst for glycerol dehydration to acetol. *Journal of Chemical Sciences*, 0123456789(131), 82. <https://doi.org/10.1007/s12039-019-1662-1>
- Basu, S., Shree, V., & Sen, A. K. (2021). Role of cerium as a promoter and process optimization studies for dehydration of glycerol to acetol over CuCr<sub>2</sub>O<sub>4</sub> catalyst. *Journal of Rare Earths*, xxxx, 1–10. <https://doi.org/10.1016/j.jre.2021.01.013>
- Carolina, X. A., & Mota, C. J. A. (2011). The influence of impurities on the acid-catalyzed reaction of glycerol with acetone. *Biomass and Bioenergy*, 35(8), 3547–3551. <https://doi.org/10.1016/j.biombioe.2011.05.004>
- Chimentão, R. ., Hirunsit, P., Torres, C. ., Ordone, M. ., Urakawa, A., Fierro, J. I. .,

- & Ruiz, D. (2020). Selective dehydration of glycerol on copper based catalysts. *Journal Pre-Proof Selective*, 367, 1–49. <https://doi.org/10.1016/j.cattod.2020.09.031>
- Contreras-andrade, I., Avella-moreno, E., Sierra-cantor, J. F., Guerrero-fajardo, C. A., & Ricardo, J. (2015). Purification of glycerol from biodiesel production by sequential extraction monitored by <sup>1</sup>H NMR. *Fuel Processing Technology*, 132, 99–104. <https://doi.org/10.1016/j.fuproc.2014.12.016>
- Daryono, E. D., Rahman, F. F. A., & Zukhriyah. (2022). Proses Transesterifikasi Minyak Kelapa. *Jurnal Teknologi*, 14(2), 156–162.
- Elsayed, M., Eraky, M., Osman, A. I., Wang, J., Farghali, M., & Rashwan, A. K. (2024). Sustainable valorization of waste glycerol into bioethanol and biodiesel through biocircular approaches : a review. *Environmental Chemistry Letters*, 22(2), 609–634. <https://doi.org/10.1007/s10311-023-01671-6>
- Fitri, P. N., Nurjanah, S., & Widiasanti, A. (2019). Pemurnian Dan Karakterisasi Gliserol Hasil Samping Produksi Biodiesel Kemiri Sunan. *Prosiding Simposium Nasional Multidisiplin (SinaMu)*, 1. <https://doi.org/10.31000/sinamu.v1i0.2145>
- Gumilar, A., Dewi, M. A., & Salsabila, N. H. (2024). OPTIMASI KONSENTRASI TEMULAWAK DAN WAKTU PERENDAMAN SEBAGAI PEREDUKSI FORMALIN PADA TAHU MENGGUNAKAN *RESPONSE SURFACE METHODOLOGY* . *Jurnal Insan Farmasi Indonesia*, 7(1), 19–31. <https://doi.org/10.36387/jifi.v7i1.1746>
- Habuka, A., Yamada, T., & Nakashima, S. (2020). Interactions of Glycerol, Diglycerol, and Water Studied Using Attenuated Total Reflection Infrared Spectroscopy. *Applied Spectroscopy*, 74(7). <https://doi.org/10.1177/0003702820919530>
- Hapsari, R. B., Pranoto, Y., Murdiati, A., & Supriyanto, S. (2022). Optimasi Proses Nanopresipitasi pada Nanoenkapsulasi Ekstrak Kasar Daun Kakao ( *Theobroma cacao L.* ) Menggunakan *Response Surface Methodology* ( RSM ) Optimization of Nanoprecipitation Process in Nanoencapsulation of Cocoa Leaves Crude Extract ( *Theobroma*. *AgriTECH*, 42(1), 75–85. <https://doi.org/http://doi.org/10.22146/agritech.4987>
- Hassan, A., Armylisas, N., Soi, S., Tuan, H., Maznee, N., & Ismail, T. (2023). Characterization of crude glycerol and glycerol pitch from palm - based residual biomass. *Biomass Conversion and Biorefinery*, 1–13. <https://doi.org/10.1007/s13399-023-04003-4>

- Hazra, F., & Septiawan, I. (2014). Pemurnian Gliserol dari Hasil Samping Produksi Biodiesel Minyak Kelapa Sawit Production ). *Jurnal Sains Terapan*, 1(1), 53–58.
- Hejna, A., Kosmela, P., Formela, K., Piszczyk, Ł., & Haponiuk, J. T. (2016). Potential applications of crude glycerol in polymer technology – Current state and perspectives. *Renewable and Sustainable Energy Reviews Journal*, 66, 449–475.
- Hudha, I. (2018). Pemurnian Gliserin Produk Samping Produksi Biodiesel Dengan Metode Asidifikasi. *Indonesian Chemistry and Application Journal*, 1(2), 68. <https://doi.org/10.26740/icaj.v1n2.p68-73>
- Hudha, I., & Rahman, A. (2017). PEMURNIAN GLISERIN PRODUK SAMPING PRODUKSI BODIESEL DENGAN METODE ASIDIFIKASI. *INDONESIAN CHEMISTRY AND APPLICATION JOURNAL*, 1(2), 1–6
- Jankovi, A., Chaudhary, G., & Goia, F. (2025). Optimization through classical design of experiments ( DOE ): An investigation on the performance of different factorial designs for multi-objective optimization of complex systems. *Journal of Building Engineering Journal*, 102, 1–26. <https://doi.org/10.1016/j.jobee.2025.111931>
- Khairati, M. (2022). Pemurnian Gliserol. *Jurnal Jejaring Matematika Dan Sains*, 4(2), 35–40. <https://doi.org/10.36873/jjms.2022.v4.i2.706>
- Komariah, L. N., Arita, S., And, L. C., & Afrah, B. D. (2025). Recovery of potassium salt by acidification of crude glycerol derived from biodiesel production. 6112–6120. <https://doi.org/10.1039/d3ra08264d>
- Koranian, P., Huang, Q., Dalai, A. K., & Sammynaiken, R. (2022). Chemicals Production from Glycerol through Heterogeneous Catalysis: A Review. *Catalysts*, 12(896), 2–28.
- Kurniasih, E., & Supardan, M. D. (2024). Pemurnian Gliserol Dari Limbah Produksi Biodiesel Dan Pemanfaatannya Sebagai Substrat Pada Sintesis Mono-digliserida. *Senastitan Iv*, 1–9.
- Kurniasih, E., Zaini, H., Rambe, S. M., & Sipahutar, E. H. (2020). Optimalisasi Pemurnian Gliserol Dari Unit Biodiesel Teaching Factory Untuk Sediaan Farmasi. 4(1), 180–185.
- Lakhani, P., Bhandari, D., & Modi, C. K. (2024). Support materials impact on green synthesis and sustainable processing via heterogeneous catalysis. *Discover Catalysis*, 1(2), 1–23. <https://doi.org/10.1007/s44344-024-00002-3>

- Latifi, M., & Chaouki, J. (2015). A NOVEL INDUCTION HEATING FLUIDIZED BED REACTOR FOR SCREENING TESTS OF SOLID FEEDSTOCKS. *Aiche Journal*, *61*(5), 1507–1523. <https://doi.org/10.1002/aic>.
- Lete, A., García, L., Ruiz, J., & Arauzo, J. (2025). Biomass and Bioenergy Valorization of pure and biodiesel-derived refined crude glycerol to renewable acetol over copper-based catalyst : Effect of operating conditions and catalyst stability. *Biomass and Bioenergy*, *203*, 1–15. <https://doi.org/10.1016/j.biombioe.2025.108273>
- Liang, Z., Li, H., Xie, J., Ye, S., Zheng, J., & Zhang, N. (2024). Cu / ZrO<sub>2</sub> Catalyst Modified with Y<sub>2</sub>O<sub>3</sub> for Effective and Stable Dehydration of Glycerol to Acetol. *Molecul*, *29*(2), 2–13.
- Lika, L. C. R., Sahda Sabilah Luhtansa, S. B. B., & Panjaitan, R. S. (2023). PERBANDINGAN BILANGAN ASAM PADA SAMPEL MINYAK GORENG KEMASAN DAN CURAH (COMPARISON OF ACID NUMBERS IN BULK AND PACKAGED COOKING OIL SAMPLES). *Indonesia Journal of Pharmaceutical Research*, *2*(2), 4–8.
- Lindenmaier, R., Tipton, N., Sams, R. L., Brauer, C. S., Blake, T. A., Williams, S. D., & Johnson, T. J. (2016). Assignment of the Fundamental Modes of Hydroxyacetone Using Gas-Phase Infrared , Far-Infrared , Raman , and ab Initio Methods : Band Strengths for Atmospheric Measurements. *The Journal of Physical Chemistry A*, *120*, 5993–6003. <https://doi.org/10.1021/acs.jpca.6b05045>
- Liu, Y., Zhong, B., & Lawal, A. (2022). Recovery and utilization of crude glycerol, a biodiesel byproduct. *RSC Advances*, *12*(43), 27997–28008. <https://doi.org/10.1039/d2ra05090k>
- M. Afif Aufari, Sia Robianto, & Renita Manurung. (2013). Pemurnian Crude Glycerine Melalui Proses Bleaching Dengan Menggunakan Karbon Aktif. *Jurnal Teknik Kimia USU*, *2*(1), 44–48. <https://doi.org/10.32734/jtk.v2i1.1426>
- Malingkas, D. G. A., Trimulyono, A., & Chrismianto, D. (2021). Optimasi Energy Saving Device (ESD) Propeller Boss Cap Fins (PBCF) dengan Metode Response Surface Method (RSM) terhadap Propeller INSEAN E779A. *JURNAL TEKNIK PERKAPALAN*, *9*(3), 268–276.
- Mane, R. B., Yamaguchi, A., Malawadkar, A., Shiraib, M., & Rode, C. V. (2013). Active sites in modified copper catalysts for selective liquid phase dehydration of aqueous glycerol to acetol. *RSC Advances*, *3*, 16499–16508. <https://doi.org/10.1039/c3ra42348d>

- Mardawati, E., Hidayat, M. S., Rahmah, D. M., & Rosalinda, S. (2019). Biodiesel PRODUKSI BIODIESEL DARI MINYAK KELAPA SAWIT KASAR OFF GRADE DENGAN VARIASI PENGARUH ASAM SULFAT PADA PROSES ESTERIFIKASI TERHADAP MUTU BIODIESEL YANG DIHASILKAN. *JURNAL INDUSTRI PERTANIAN*, 1(3), 46–60
- Mazarío, J., Concepción, P., Ventura, M., & Domine, M. E. (2020). Continuous catalytic process for the selective dehydration of glycerol over Cu-based mixed oxide. *Journal of Catalysis Journal*, 385, 160–175. <https://doi.org/10.1016/j.jcat.2020.03.010>
- Mazarío, J., Jampaiah, D., Concepción, P., Villasante-Iturria, P., Wilson, K., C, A. L., & Domine, M. E. (2024). Structure–reactivity relations in Cu/ZrO<sub>2</sub> catalysed glycerol dehydration to acetol in continuous flow. *Catalysis Science & Technology Observing*, 14, 3878–3892. <https://doi.org/10.1039/d4cy00220b>
- Miyuranga, K. A. V., Arachchige, U. S. P. R., Jayasinghe, R. A., & Samarakoon, G. (2022). Purification of Residual Glycerol from Biodiesel Production as a Value-Added Raw Material for Glycerolysis of Free Fatty Acids in Waste Cooking Oil. *Energies Article*, 15(23), 2–20.
- Mohamad, M. H., Roila, A., & Yunus, W. M. Z. W. (2011). A Review of Acetol: Application and Production. *American Journal*, 8(6), 1135–1139.
- Muhammad, D. F., & Susila, I. W. (2020). PENGARUH VOLUME BERAT ADSORBEN DAUN BAMBUR DALAM PROSES ADSORPSI TERHADAP KUALITAS PEMURNIAN GLISEROL DARI HASIL SAMPING BIODIESEL BIJI KARET ( Hevea Brasiliensis ). *JTM*, 11(1), 61–70.
- Mursalina, Lavlinesia, & Yernisa. (2017). APLIKASI TEKNIK DEMULSIFIKASI PEMBENTUKAN KRIM DALAM PEMURNIAN MDAG YANG DIPRODUKSI SECARA GLISEROLISIS. *Jurnal Ilmiah Ilmu Terapan Universitas Jambi*, 1(Hui 1996), 170–177.
- Pitt, F. D., Domingos, A. M., & Barros, A. A. C. (2019). Purification of residual glycerol recovered from biodiesel production. *South African Journal of Chemical Engineering*, 29(October 2018), 42–51. <https://doi.org/10.1016/j.sajce.2019.06.001>
- Prasad, R., & Singh, P. (2011). Applications and Preparation Methods of CuCr<sub>2</sub>O<sub>4</sub> Catalysts : A Review. *Bulletin of Chemical Reaction Engineering & Catalysis*, 6(2), 63–112.
- Rabbani, A. Y. W. (2024). OPTIMASI PROSES PEMANGGANGAN CHIFFON

CAKE SUBSTITUSI TEPUNG BIJI NANGKA MENGGUNAKAN *RESPONSE SURFACE METHODOLOGY* OPTIMASI PROSES PEMANGGANGAN CHIFFON CAKE *RESPONSE SURFACE METHODOLOGY*. In *Skripsi* (pp. 1–82).

- Ramadhan, K., Aznury, M., & Junaidi, R. (2025). Pembuatan Alkid Resin Dari Gliserol Minyak Kelapa Sawit Dengan Metode Polikondensasi Dengan Variasi Katalis Asam Fosfat. *Jurnal Serambi Engineering*, *x*(4), 15660–15665.
- Ratnawati, S. E., Ekantari, N., Pradipta, R. W., & Paramita, B. L. (2012). Aplikasi Response Surface Methodology (RSM) pada Optimasi Ekstraksi Kalsium Tulang Lele The Application of Response Surface Methodology (RSM) on the Optimization of Catfish Bone Calcium Extraction. *Urnal Perikanan Universitas Gadjah Mada*, *20*(1), 41–48.
- Raza, M., & Inayat, A. (2021). *Crude Glycerol as a Potential Feedstock for Future Energy via Thermochemical Conversion Processes : A Review*. *13*, 1–27.
- Riri Mardaweni, Dwi Setyaningsih, dan M. S. R. (2020). PEMURNIAN MONO-DIASILGLISEROL HASIL ESTERIFIKASI PALM FATTY ACID DISTILLATE DAN GLISEROL DENGAN EKSTRAKSI PELARUT-SAPONIFIKASI DAN DISTILASI. *Jurnal Teknologi Industri Pertanian*, *27*(2), 192–199. <https://doi.org/10.24961/j.tek.ind.pert.2017.27.2.192>
- Rosas, I. P., Luis, J., Larios, C., & Zeifert, B. (2019). *Catalytic Dehydration of Glycerine to Acrolein*.
- Rosy Hutami1a, D. F. A. (2015). PEMBUATAN DAN KARAKTERISASI METIL ESTER DARI MINYAK GORENG KELAPA SAWIT KOMERSIAL. *Jurnal Agroindustri Halal*, *1*(2), 131–138.
- Saifuddin, N., Refal, H., & Kumaran, P. (2014). Rapid Purification of Glycerol by-product from Biodiesel Production through Combined Process of Microwave Assisted Acidification and Adsorption via Chitosan Immobilized with Yeast. *Research Journal of Applied Sciences, Engineering and Technology* *7*(3):, *7*(3), 593–602.
- Sasaki, S., Kurniawan, E., Sato, K., Matsusaka, K., Kojima, T., Hara, T., Yamada, Y., & Sato, S. (2024). Vapor-phase dehydration of glycerol to acetol over Cu/SiO<sub>2</sub> prepared with organic additives. *Applied Catalysis A: General*, *671*, 119561. <https://doi.org/https://doi.org/10.1016/j.apcata.2024.119561>
- Sinaga, M. S., & Nadeak, S. (2019). Pengaruh Rasio Berat Asidifikasi Dan Persen Berat Adsorben Terhadap. *Journal of Chemical Process Engineering Volume*, *4*(2655), 13–17.

- Sukeksi, L., & Andy Junianto Sidabutar, C. S. (2017). PEMBUATAN SABUN DENGAN MENGGUNAKAN KULIT BUAH KAPUK (Ceiba petandra) SEBAGAI SUMBER ALKALI SOAP MAKING BY USING KAPUK FRUIT PEEL (Ceiba petandra) AS A SOURCE OF ALKALI. *Jurnal Teknik Kimia USU*, 6(3), 8–13.
- Surbakti, W. M., Sinaga, M. S., Kimia, D. T., Teknik, F., & Utara, U. S. (2016). Pengaruh pelarut kloroform dalam pemurnian gliserol dengan proses asidifikasi asam klorida. *Jurnal Teknik Kimia USU*, 5(3), 38–43.
- Suseno, N., Adiarto, T., Alviany, R., & Novitasari, K. (2019). PEMURNIAN GLISEROL HASIL PRODUK SAMPING BIODIESEL DENGAN KOMBINASI PROSES ADSORPSI-MIKROFILTRASI- EVAPORASI PURIFICATION OF CRUDE GLISEROL BY-PRODUCT OF BIODIESEL PRODUCTION VIA A COMBINE PROCESS OF ADSORPTION-MICROFILTRATION-EVAPORATION. *Jurnal Teknik Kimia*, 13(32–28).
- Syahrizal, Argo, B. D., & Wibisono, Y. (2025). REAKTOR BATCH UNTUK PRODUKSI FURFURAL Design and Performance of Induction Heating System in Batch Reactor for Furfural Production. *Jurnal Teknologi Pertanian*, 26(3), 293–304.
- Ula, S., Maghfurah, F., Abdullah, S., & K, A. H. (2019). Perencanaan desain reaktor biodiesel sistem batch untuk produksi biodiesel skala industri kecil. *Jurnal Program Studi Teknik Mesin*, 8(2), 169–176.
- Volk, A., & Kähler, C. J. (2018). Density model for aqueous glycerol solutions. *Experiments in Fluids*, 59(5), 1–4. <https://doi.org/10.1007/s00348-018-2527-y>
- Wahyono, A., Tifania, A. Z., & Kurniawati, E. (2018). Physical properties and cellular structure of bread enriched with pumpkin flour. *International Conference on Food and Agriculture*, 1(19), 1–7. <https://doi.org/10.1088/1755-1315/207/1/012054>
- Wang, H., Li, H., Keong, C., Suliani, N., Nanyan, M., & Tay, S. (2024). International Journal of Biological Macromolecules A systematic review on utilization of biodiesel-derived crude glycerol in sustainable polymers preparation. *International Journal of Biological Macromolecules*, 261(P1), 129536. <https://doi.org/10.1016/j.ijbiomac.2024.129536>
- Widarsaputra, A. Y., Prawatya, Y. E., & Sujana, I. (2022). RESPONSE SURFACE METHODOLOGY (RSM) UNTUK OPTIMASI PENGOLAHAN KERIPIK NANAS MENGGUNAKAN MESIN VACUUM FRYING. *Jurnal Teknik*

*Industri Universitas Tanjungpura*, 6(2), 70–77.

Widjanarko, S. B., Ulandari, D., & Fibrianto, K. (2023). *Response Surface Methodology* in the optimization of walur ( *Amorphophallus paeoniifolius* var. *Sylvestris* ) starch pregelatinization process. *Advances in Food Science, Sustainable Agriculture and Agroindustrial Engineering*, 6(January), 62–71.

Zaenudin, M., Trihaditia, R., & Yuliani. (2022). OPTIMASI KARAKTERISTIK UJI ORGANOLEPTIK PANGAN FUNGSIONAL ES KRIM DENGAN PENAMBAHAN KULIT PISANG AMBON (*Musa acuminata*) DAN BEKATUL BERAS PUTIH (*Oryza sativa* L) OPTIMIZATION OF CHARACTERISTICS OF FUNCTIONAL FOOD ORGANOLEPTIC TESTING ICE CREAM WITH THE ADD. *Agroscience*, 12(1), 91–101.