

DAFTAR PUSTAKA

- Agume, A. S. N., Njintang, N. Y., & Mbofung, C. M. F. (2017). Effect of Soaking and Roasting on the Physicochemical and Pasting Properties of Soybean Flour. *Foods*, 8–17. <https://doi.org/10.3390/foods6020012>
- Akbari, M., Hadi, S., Khodaiyan, F., Blesa, J., & Esteve, M. J. (2023). Fermented corn bran : A by-product with improved total phenolic content and antioxidant activity. *LWT - Food Science and Technology*, 184, 115090. <https://doi.org/10.1016/j.lwt.2023.115090>
- Arifanti, A. P., Damat, & Siskawardani, D. D. (2024). Karakteristik Fisikokimia Snack Bar Berbasis Tepung Ubi Jalar Ungu dan Tepung Kacang Merah. *Food Technology and Halal Science Journal*, 7(2), 213–226. <https://doi.org/10.22219/fths.v7i1.35955>
- Astina, J., Goyudianto, B. A., & Muslimatun, S. (2023). Nutrient Profiling of Snack Bars According to Indonesian Healthier Choice Criteria. *Jurnal Gizi Pangan*, 18(28), 134–136. <https://doi.org/10.25182/jgp.2023.18.Supp.1.134-136>
- Athanase, K. K., Thibaut, O. T. S., Rodrigue, V. B. R. D., Clément, K. K., Ibourahema, C., & Ibrahim, K. (2021). Evaluation of the Microbiological and Physico-Chemical Quality of Soybean Flour (*Glycine max* L. Merrill) as a Food Supplement for Infants Sold in Daloa. *Microbiology Research Journal International*, 31(3), 24–30. <https://doi.org/10.9734/mrji/2021/v31i330302>
- Ayed, C., Lim, M., Nawaz, K., Macnaughtan, W., Sturrock, C. J., Hill, S. E., Linforth, R., & Fisk, I. D. (2021). The role of sodium chloride in the sensory and physico-chemical properties of sweet biscuits. *Food Chemistry*, 9(January), 100115. <https://doi.org/10.1016/j.fochx.2021.100115>
- Badan Pusat Statistik. (2024). *Luas Panen, Produksi, dan Produktivitas Jagung Menurut Provinsi*. Badan Pusat Statistik. <https://www.bps.go.id>
- Badan Pusat Statistik Kabupaten Jember. (2021). *Produksi Jagung dan Kedelai Menurut Kecamatan di Kabupaten Jember*. Badan Pusat Statistik. <https://jemberkab.bps.go.id>
- Badan Standardisasi Nasional. (2015). *SNI 2346:2015 Pedoman Pengujian Organoleptik dan/atau Sensori*.
- Bourekoua, H., Djeghim, F., Dziki, D., & Rzyło, R. (2023). Development of Energy-Rich and Fiber-Rich Bars Based on Puffed and Non-Puffed Cereals. *Journal Processes*, 11, 813. <https://doi.org/10.3390/pr11030813>
- Cahya, S. A., Wahyudi, V. A., & Warkoyo. (2025). Karakteristik Angka Kecukupan Gizi Snack Bar Berbahan Dasar Sorgum dengan Penambahan Sari Kurma dan Madu. *Food Technology and Halal Science Journal*, 8(1), 31–45. <https://doi.org/10.22219/fths.v8i1.35965>

- Ekahidyatullah, M., Ariyansyah, Nasir, M., Azmin, N., Awalnurrahman, R., & Juryatina. (2025). Efektivitas Fermentasi *Rhizopus oligosporus* Terhadap Peningkatan Protein Bonggol dan Bekatul Jagung Serta Aplikasinya Pada Produk Pangan Fungsional. *Jurnal Pendidikan Biologi*, 14(2). <https://jurnal.stkipbima.ac.id/index.php/OZ/article/view/3944>
- Fairuzsyawal, N., Yuniati, Y., Rahmiati, R., & Rachma Nur, D. (2025). Analisis Karakteristik Sensorik dan Nutrisi Snack Bar Berbasis Tepung Kedelai, Tepung Ubi Ungu, dan Multigrain. *Jurnal Sains Dan Teknologi Pangan*, 10(2), 8319–8330. <https://doi.org/10.63071/fpb8fn12>
- Fajri, R., Basito, & Muhammad, D. R. A. (2013). Karakteristik Fisikokimia dan Organoleptik Food Bars Labu Kuning (*Cucurbita Máxima*) dengan Penambahan Tepung Kedelai dan Tepung Kacang Hijau sebagai Alternatif Produk Pangan Darurat. *Jurnal Teknologi Hasil Pertanian*, VI(2), 103–110. <https://doi.org/10.20961/jthp.v0i0.13524>
- Fath, H. K., Hanifah, I., & Putri, W. D. R. (2020). Formulasi Food Bar Grits Kacang Komak Dan Kacang Kedelai Hitam Menggunakan Metode Linear Programming. *Jurnal Teknologi Hasil Pertanian*, 13(1), 29. <https://doi.org/10.20961/jthp.v13i1.41683>
- Figueiredo, M., Guimarães, R. M., Araújo, M. de O. K. R. B., Carneiro, N. S., Lima, D. S., Santosa, D. C. Dos, Batistac, K. de A., Fernandes, K. F., Peixoto, M. C., & Martins Lima, M. B. E. (2019). Characterization of corn (*Zea mays* L.) bran as a new food ingredient for snack bars. *LWT - Food Science and Technology*, 101(March 2018), 812–818. <https://doi.org/10.1016/j.lwt.2018.11.088>
- Fitri, B. A. L., Murdiah, & Hidayati, B. P. (2025). Maillard and Caramelization Reactions in Confectionery Products. *Journal of Innovation Research and Knowledge*, 5(2), 2601–2610. <https://doi.org/10.53625/jirk.v5i2.10987>
- Folts, L., & Vickers, Z. (2007). A Texture Analysis of Protein Bars. *Food Science and Nutrition*, 612–625. <https://hdl.handle.net/11299/275133>
- Guo, Y., Liu, G., Ning, Y., Li, X., Hu, S., Zhao, J., & Qu, Y. (2022). Production of Cellulosic Ethanol and Value-added Products from Corn Fiber. *Bioresources and Bioprocessing*. <https://doi.org/10.1186/s40643-022-00573-9>
- Hoppu, U., Puputti, S., Aisala, H., Laaksonen, O., & Sandell, M. (2018). Individual Differences in the Perception of Color Solutions. *Foods*, 1–8. <https://doi.org/10.3390/foods7090154>
- Hubeidah, A., Oluwajuyitan, D. T., Ayodele, T., Oyeleye, I. S., Obboh, G., Arogundade, T. J., & Fagbemi, T. N. (2024). Quality assessment and in-vivo glycemic indices of snack bar from blends of plantain flour, soy meal and oat bran. *Discover Food*. <https://doi.org/10.1007/s44187-024-00200-w>
- Hussain, M., Qamar, A., Saeed, F., Rasheed, R., Afzaal, M., Mushtaq, Z., & Anjum,

- F. (2021). Biochemical Properties Of Maize Bran With Special Reference to Different Phenolic Acids. *International Journal of Food Properties*, 24(1), 1468–1478. <https://doi.org/10.1080/10942912.2021.1973026>
- Hussain, M., Raza, M. A., Saeed, F., Tufail, T., Ahmad, A., Ahmad, A., Jbawi, E. Al, Afzaal, M., Tufail, T., Ahmad, A., Ahmad, A., & Al, E. (2024). Maize bran as an agro-industrial by-product : its bioactive compounds and their potential health benefits. *Cogent Food & Agriculture*, 10(1). <https://doi.org/10.1080/23311932.2024.2390157>
- Hussain, M., Saeed, F., Niaz, B., Afzaal, M., Ikram, A., Hussain, S., Mohamed, A. A., Alamri, M. S., & Anjum, F. M. (2021). Biochemical and nutritional profile of maize bran- - enriched flour in relation to its end- - use quality. *Food Science & Nutrition, March*, 3336–3345. <https://doi.org/10.1002/fsn3.2323>
- Jamilah, N., Hidayati1, D., & Purwandari, U. (2024). Physical and Chemical Characteristic of Snack Bars from Jewawut Flour and Mocaf as Effect of Temperature and Roasting Time. *Jurnal Teknologi Dan Industri Pangan*, 9(1), 20–31. <https://doi.org/10.33061/jitipari.v9i1.9369>
- Jiang, L., Zhang, H., Zhang, J., Liu, S., Tian, Y., Cheng, T., Guo, Z., & Wang, Z. (2024). Food Chemistry : X Improve the fiber structure and texture properties of plant-based meat analogues by adjusting the ratio of soy protein isolate (SPI) to wheat gluten (WG). *Food Chemistry*, 24(October). <https://doi.org/10.1016/j.fochx.2024.101962>
- Johannes, A., & Rizkaprilisa, W. (2023). Snack Bar Formulation High in Antioxidants and Dietary Fiber with Substitution of Corn Flour and Spirulina Flour. *Jurnal Teknologi Dan Industri Pangan*, 8(2), 184–194. <https://doi.org/10.33061/jitipari.v8i2.9376>
- Jonkers, N., van Dommelen, J. A. W., & Geers, M. G. D. (2022). Intrinsic Mechanical Properties of Food in Relation to Texture parameters. *Mechanics of Time-Dependent Materials*, 26(2), 323–346. <https://doi.org/10.1007/s11043-021-09490-4>
- Keskin, S. O., Ali, T. M., Ahmed, J., Shaikh, M., Siddiq, M., & Uebersax, M. A. (2021). Physico-chemical and functional properties of legume protein , starch , and dietary fiber — A review. *Legume Science*, 1–15. <https://doi.org/10.1002/leg3.117>
- Kidnem, D. M. M., Nurdjanah, S., Suharyono, & Zuidar, A. S. (2023). Kekerasan dan Sifat Sensori Snack Bar pada Berbagai Perbandingan Tepung Pisang Kepok dan Bekatul. *Jurnal Agroindustri Berkelanjutan*, 2(1), 75–85. <https://doi.org/10.23960/jab.v2i1.7137>
- Kohli, V., & Singha, S. (2024). Protein digestibility of soybean : how processing affects seed structure , protein and non - protein components. *Discover Food*, 4, 7. <https://doi.org/10.1007/s44187-024-00076-w>

- Kumalasari, I. D., & Budiati, R. (2024). Sifat Fisiko-Kimia , Mikrobiologi , dan Organoleptik Flakes Berbahan Dasar Tepung Sorgum (*Sorghum bicolor* L . Moench) dan Tepung Kacang Kedelai (*Glycine max* . L). *Jurnal Sains Dan Teknologi*, 13(1), 99–109. <https://doi.org/10.23887/jstundiksha.v13i1.69487>
- Ma, S., Wang, Z., Liu, N., Zhou, P., Bao, Q., & Wang, X. (2021). Effect of wheat bran dietary fibre on the rheological properties of dough during fermentation and Chinese steamed bread quality. *International Journal of Food Science and Technology*, 56, 1623–1630. <https://doi.org/10.1111/ijfs.14781>
- Majid, S. M., & Farida, E. (2024). Formulasi Snack Bar Berbahan Dasar Tepung Kedelai (*Glycine max* L.) dan Tepung Labu Kuning (*Cucurbita moschata* Durh) Sebagai Makanan Alternatif Sumber Energi. *Indonesian Journal of Public Health and Nutrition*, 4(2), 217–224. <http://journal.unnes.ac.id/sju/index.php/IJPHN>
- Mansur, K. W., & Hudi, L. (2024). *Characteristics of Corn (Zea mays L .) Bran Snack bar Based on the Proportion of Bran Paste to Kepok Banana Flour (Musa paradisiaca L .) [Karakteristik Snack bar Bekatul Jagung (Zea mays L .) Berdasarkan Proporsi Pasta Bekatul dengan Tepung Pisang Kep.* 1–11. <https://doi.org/10.21070/ups.5240>
- Mekuria, S. A., Czwartkowski, K., & Harasym, J. (2026). Nutritional and Antioxidant Profile of Brown Eragrostis tef (Zucc.) Trotter Flour in Blends with Glycine max (L.) Merr. Flour. *Molecules*, 31(2), 365. <https://doi.org/10.3390/molecules31020365>
- Nakamoto, H., Nishimura, R., & Kobayashi, F. (2024). *Effects of sensory combination on crispness and prediction of sensory evaluation value by Gaussian process regression.* 1–14. <https://doi.org/10.1371/journal.pone.0297620>
- Natha, K. D., & PS, D. K. (2024). Pengaruh Substitusi Tepung Kulit Pisang Kepok dan Tepung Bekatul terhadap Mutu Organoleptik Snack Bar sebagai Alternatif Makanan Selingan untuk Remaja Obesitas. *Jurnal Sains Dan Teknologi*, 3(5), 540–552. <https://doi.org/10.55123/insologi.v3i5.4152>
- Nurjana, Jacoeb, A. M., Hidayat, T., & Chrystiawan, R. (2018). Perubahan Komponen Serat Rumput Laut Caulerpa sp. (dari tual, Maluku) Akibat Proses Perebusan. *Teknologi Ilmu Dan Teknologi Kelautan Tropis*, 10(1), 35–48. <https://doi.org/10.29244/jitkt.v10i1.21545>
- Octo, P., Deviyanti, I., & Fatmawati, I. (2021). Kadar Serat Pangan dan Sifat Organoleptik Crackers Bekatul Jagung dengan Penambahan Tepung Kacang Bambara. *Jurnal Teknologi Pangan Dan Gizi*, 20(2), 130–138. <https://journal.ukwms.ac.id/index.php/JTPG/article/view/3191>
- Pertaniaan, K. (2024). *Analisis Kinerja Perdagangan Kedelai.*
- Qi, Y., Wang, W., Yang, T., Ding, W., & Xu, B. (2025). Maillard Reaction in Flour

- Product Processing : Mechanism , Impact on Quality , and Mitigation Strategies of Harmful Products. *Journal Foods*, 14. <https://doi.org/10.3390/foods14152721>
- Rahmi, Y., Kurniawati, A. D., Widyanto, R. M., Ariestiningsih, A. D., Zahratul, A., Al, A., Ruchaina, A. N., Sihombing, E. V., Istira, F. B., Nafsiyah, I., Permatasari, K. D., Anjani, R. D., Anggita, S., Maharani, Y., & Rahma, Y. A. (2021). The Sensory , Physical and nutritional Quality Profiles of Purple Sweet Potato and Soy-Based Snack Bars for Pregnant Women. *Journal of Public Health Research*, 10, 390–398. <https://doi.org/10.4081/jphr.2021.2241>
- Rakhmawati, R., & Turjono, E. (2021). *Agroindustry Business Development Strategy Tempe Soybean by Using Analysis SWOT (case study for 4 village in jember regency)*. 68–86. <https://jurnal.itsm.ac.id/index.php/relasi/article/view/106>
- Razak, M., Suwita, K., & Damayanti, Y. D. (2024). Substitusi Tepung Kacang Kedelai (*Glycine max* L.) dan Pisang Raja (*Musa paradisiaca* L. var *sapientum*) terhadap Mutu Kimia, Mutu gizi, dan Mutu Organoleptik Snack Bar bagi Penderita Hipertensi. *Media Gizi Pangan*, 31. <https://doi.org/10.32382/mgp.v31i1.353>
- Sardi, M., Nurhabibah, M., Tobing, B., Putri, A., Nasution, A. M., Pratiwi, A., Butar, K. A. B., Putri, R. N., Tumangger, S. H., & Sahira, S. (2021). Klaim Kandungan Zat Gizi pada Berbagai Kudapan (Snack) Tinggi Serat : Literature Review. *Jurnal Gizi Pangan, Klinik Dan Masyarakat*, 1(13), 39–45. <https://doi.org/10.24114/jgpkkm.v1i1.24924>
- Sergiu, P. (2022). The Quantification of Fatty Acids , Color , and Textural Properties of Locally Produced Bakery Margarine. *Applied Sciences*, 12. <https://doi.org/10.3390/app12031731>
- Shi, S., Alamsyah, I., Sulandari, L., Sutiadiningsih, A., & Miranti, M. G. (2024). Pembuatan Snack Bar Rasa Biryani dengan Menggunakan Berbagai Jenis Pemanis Sebagai Bahan Perekat. *Jurnal Inovasi Ilmu Pendidikan*, 2(4). <https://doi.org/10.55606/lencana.v2i4.4057>
- Sui, X., Zhang, T., & Jiang, L. (2021). Soy Protein: Molecular Structure Revisited and Recent Advances in Processing Technologies. *Annual Review of Food Science and Technology*, 12, 119–147. <https://doi.org/10.1146/annurev-food-062220-104405>
- Sukeaw, R., Jannu, T., & Renaldi, G. (2021). Heliyon Physicochemical properties and sensory evaluation of high energy cereal bar and its consumer acceptability. *Heliyon*, 7(8), e07776. <https://doi.org/10.1016/j.heliyon.2021.e07776>
- Suratmin, H. A. W., Ariyana, M. D., & Amaro, M. (2026). Karakteristik Snack Bar Berbasis Tepung Sorgum (*Sorghum bicolor*) dan Puff Sorgum dengan Penambahan Putih Telur sebagai Bahan Pengikat. *EduFood*, 4(1), 120–133.

<https://jurnal.unram.ac.id/index.php/edufood/id/article/view/871>

- Suryana, A. L., Rosiana, N. M., & Olivia, Z. (2022). Effect of drying method on the chemical properties of local soy flour Effect of drying method on the chemical properties of local soy flour. *Earth and Environmental Science*. <https://doi.org/10.1088/1755-1315/980/1/012030>
- Syafii, F., & Yani, A. (2023). The Effect of Modified banana Flour and Soy Flour Ratio on the Organoleptic Parameters of Snack Bar as Supplementary Food in Type 2 Diabetes Mellitus Patients. *Journal of Noncommunicable Diseases*, 1(1), 1–7. <https://doi.org/10.61843/jondpac.v1i1.479>
- Tadju, R., Rosantty, E., Buri, N., & Antu, M. Y. (2021). Sensory Evaluation of Panelists on Biscuit Products Based on Sorghum Flour and Corn Bran Flour. *Earth and Environmental Science*. <https://doi.org/10.1088/1755-1315/911/1/012076>
- Utama, C. S., Sulistiyanto, B., Barus, O., & Haidar, M. F. (2022). Kualitas Kimia dan Profil Serat Bekatul Gandum dengan Kadar Air dan Lama Pemanasan Berbeda. *Jurnal Aplikasi Teknologi Pangan*, 11(1), 26–33. <https://doi.org/10.17728/jatp.11457>
- Uwem, U. M., Babafemi, A. A., & Sunday, D. M. (2017). Proximate Composition , Phytoconstituents and Mineral Contents of Soybean (Glycine Max) Flour Grown and Processed in Northern Nigeria. *Advances in Applied Sciences*, 2(4), 48–53. <https://doi.org/10.11648/j.aas.20170204.12>
- Violalita, F., Evawati, Syahrul, S., Yanti1, H. F., & Fahmy, K. (2020). Characteristics of Gluten-Free Wet Noodles Substituted with Soy Flour. : : *Earth and Environmental Science*. <https://doi.org/10.1088/1755-1315/515/1/012047>
- Wibowowati, S. A., Karyantina, M., & Mustofa, A. (2024). *Physicochemical and Organoleptic Characteristics of Snack Bars Combination of Red Bean Flour (Phaseolus vulgaris L .) and Rice Bran Flour with Variation of Roasting Time*. 1(1), 29–41. <https://doi.org/10.33061/agrobiotek.v1i1.9849>
- Yudo, W. S., Hartati, F. K., & Handarini, K. (2024). Karakteristik Mutu Kimia dan Organoleptik Snack Bar Dengan Penambahan Konsentrasi Ampas Kedelai (Glycine max L.) dan Margarine. *Pro-Stek*, 6(2), 91–106. <https://doi.org/10.35194/prs.v6i2.4244>
- Zafar, H., Saeed, F., Niaz, B., Rasheed, A., Akhmedov, S., Jumaniyazova, I., Ahmed, F., Afzaal, M., Islam, F., & Kinki, A. B. (2026). Biochemical and Structural Attributes of Wheat & Corn Bran Hydrolysates in Relation to Their end Use-quality. *Scientific Reports*, 16(1), 1–11. <https://doi.org/10.1038/s41598-025-30461-z>
- Zhang, L., Yang, W., Xu, K., Long, L., & Ye, H. (2025). Study on Moisture Phase Changes in Bread Baking Using a Coupling Model. *Journal Foods*, 14.

<https://doi.org/10.3390/foods14091649>

Żurek, J., Rudy, M., & Dziki, D. (2026). Consumer Choices in the Functional Food Market: A Review of Determinants of Purchasing Behavior. *Foods*, 15(8), 1–25. <https://doi.org/10.3390/foods15081>