

DAFTAR PUSTAKA

- Aji, A., Bahri, S., & Tantalia, T. (2017). Pengaruh waktu ekstraksi dan konsentrasi HCl untuk pembuatan pektin dari kulit jeruk bali (*Citrus maxima*). *Jurnal Teknologi Kimia Unimal*. <https://ojs.unimal.ac.id/jtk/article/view/467>
- Almeida, D., Petropoulos, S. A., Da Silveira, T. F. F., Pires, T. C. S. P., Ferreira, I. C. F. R., Fernandes, Â., & Barros, L. (2025). Exploring the Biochemical Profile of *Beta vulgaris* L.: A Comparative Study of Beetroots and Swiss Chard. *Plants*, 14(4), 591. <https://doi.org/10.3390/plants14040591>
- Amila, N., Kep, M., Kep, S., Maimunah, S., Syapitri, H., & ... (2021). *Mengenal Si Cantik Bit dan Manfaatnya*. books.google.com. https://books.google.com/books?hl=en&lr=&id=CdIyEAAAQBAJ&oi=fnd&pg=PP1&dq=mengenal+si+cantik+bit+dan+manfaatnya&ots=chU1PcO2RC&sig=GNnp2vcXRXmRk6AfJX8-wJS-P_U
- Andarwulan, N., & Faradilla, R. H. F. (2012). Pewarna alami untuk pangan. Dalam *Seafast Center, Bogor*.
- Azmir, J., Zaidul, I. S. M., Rahman, M. M., Sharif, K. M., & ... (2013). Techniques for extraction of bioactive compounds from plant materials: A review. *Journal of food* <https://www.sciencedirect.com/science/article/pii/S0260877413000277>
- Barba, F. J., Parniakov, O., Pereira, S. A., Wiktor, A., Grimi, N., & ... (2015). ... O, Witrowa-Rajchert D, Lebovka N, Vorobiev E. Current applications and new opportunities for the use of pulsed electric fields in food science and industry. Dalam *Food Res Int*.
- Chalermchat, Y., Fincan, M., & Dejmek, P. (2004). Pulsed electric field treatment for solid–liquid extraction of red beetroot pigment: Mathematical modelling of mass transfer. *Journal of Food Engineering*, 64(2), 229–236. <https://doi.org/10.1016/j.jfoodeng.2003.10.002>
- Chamidah, A., Marsono, Y., Harmayani, E., & ... (2013). Pengaruh metode ekstraksi terhadap karakteristik crude laminaran dari *Sargassum duplicatum*. *Agritech: Jurnal Fakultas* <https://www.neliti.com/publications/101998/pengaruh-metode-ekstraksi-terhadap-karakteristik-crude-laminaran-dari-sargassum>
- Dastangoo, S., HamedMosavian, M. T., & Yeganehzad, S. (2020). *Optimization of pulsed electric field conditions for sugar extraction from carrots*. *Food Sci Nutr* 8 (4): 2025–2034.

- De Azeredo, H. M. C., Pereira, A. C., De Souza, A. C. R., Gouveia, S. T., & Mendes, K. C. B. (2009). Study on efficiency of betacyanin extraction from red beetroots. *International Journal of Food Science & Technology*, 44(12), 2464–2469. <https://doi.org/10.1111/j.1365-2621.2009.02037.x>
- Donsì, F., Ferrari, G., & Pataro, G. (2010). Applications of Pulsed Electric Field Treatments for the Enhancement of Mass Transfer from Vegetable Tissue. *Food Engineering Reviews*, 2(2), 109–130. <https://doi.org/10.1007/s12393-010-9015-3>
- E.A., M., & Amer Eiss, A. H. (2012). Pulsed Electric Fields for Food Processing Technology. Dalam A. Amer Eissa (Ed.), *Structure and Function of Food Engineering*. InTech. <https://doi.org/10.5772/48678>
- El Belghiti, K., & Vorobiev, E. (2004). Mass Transfer of Sugar from Beets Enhanced by Pulsed Electric Field. *Food and Bioproducts Processing*, 82(3), 226–230. <https://doi.org/10.1205/fbio.82.3.226.44187>
- El-Belghiti, K., Rabhi, Z., & Vorobiev, E. (2007). Effect of Process Parameters on Solute Centrifugal Extraction from Electroporabilized Carrot Gratings. *Food and Bioproducts Processing*, 85(1), 24–28. <https://doi.org/10.1205/fpb05013>
- Fajri, N., Hidayat, F., & Juliani, J. (2018). Pengaruh penambahan pasta umbi bit merah (*Beta vulgaris* L.) dan lama fermentasi terhadap organoleptik donat. *Jurnal Agriovet*. <https://ejournal.kahuripan.ac.id/index.php/agriovet/article/view/184>
- Fernanda Benavides Arévalo, J., Eliana Lopera Pérez, Y., & Rojas, J. (2021). Production of an Effervescent Powder from *Solanum betaceum* Fruit Having Enhanced Antioxidant Properties. *Journal of Food and Nutrition Research*, 9(3), 108–113. <https://doi.org/10.12691/jfnr-9-3-2>
- Fincan, M., DeVito, F., & Dejmek, P. (2004). Pulsed electric field treatment for solid–liquid extraction of red beetroot pigment. *Journal of Food Engineering*, 64(3), 381–388. <https://doi.org/10.1016/j.jfoodeng.2003.11.006>
- Giteru, S. G., Oey, I., & Ali, M. A. (2018). Feasibility of using pulsed electric fields to modify biomacromolecules: A review. *Trends in Food Science & Technology*. <https://www.sciencedirect.com/science/article/pii/S0924224417300432>
- Hutahean, S. (2020). *Application for Caring Nurses to Support Client's Healing. Cijerah: Penerbit Media Sains Indonesia*.

- Jaywant, S. A., Singh, H., & Arif, K. M. (2022a). Sensors and Instruments for Brix Measurement: A Review. *Sensors*, 22(6), 2290. <https://doi.org/10.3390/s22062290>
- Jaywant, S. A., Singh, H., & Arif, K. M. (2022b). Sensors and Instruments for Brix Measurement: A Review. *Sensors*, 22(6), 2290. <https://doi.org/10.3390/s22062290>
- Jemai, A. B., & Vorobiev, E. (2002). Effect of moderate electric field pulses on the diffusion coefficient of soluble substances from apple slices. *International Journal of Food Science and Technology*, 37(1), 73–86. <https://doi.org/10.1046/j.1365-2621.2002.00516.x>
- Jeong, S.-W., Das, P. K., Jeoung, S. C., Song, J.-Y., Lee, H. K., Kim, Y.-K., Kim, W. J., Park, Y. I., Yoo, S.-D., Choi, S.-B., Choi, G., & Park, Y.-I. (2010). Ethylene Suppression of Sugar-Induced Anthocyanin Pigmentation in Arabidopsis. *Plant Physiology*, 154(3), 1514–1531. <https://doi.org/10.1104/pp.110.161869>
- Kotnik, T., Rems, L., Tarek, M., & Miklavčič, D. (2019). Membrane Electroporation and Electroporabilization: Mechanisms and Models. *Annual Review of Biophysics*, 48(1), 63–91. <https://doi.org/10.1146/annurev-biophys-052118-115451>
- López, N., Puértolas, E., Condón, S., Raso, J., & Ignacio Álvarez. (2009). Enhancement of the solid-liquid extraction of sucrose from sugar beet (*Beta vulgaris*) by pulsed electric fields. *LWT - Food Science and Technology*, 42(10), 1674–1680. <https://doi.org/10.1016/j.lwt.2009.05.015>
- Luengo, E., Martínez, J. M., Coustets, M., Álvarez, I., & ... (2015). A comparative study on the effects of millisecond-and microsecond-pulsed electric field treatments on the permeabilization and extraction of pigments from *Chlorella* *The Journal of* <https://doi.org/10.1007/s00232-015-9796-7>
- Pattymahu, C. V. P., Kusumawati, I., & Isadiartuti, D. (2026). Pemantauan Proses Ekstraksi Curcuma xanthorrhiza Roxb. dengan Metode Refraktometri dan Gravimetri. *JiIS (Jurnal Ilmiah Ibnu Sina): Ilmu Farmasi dan Kesehatan*, 11(1), 49–64. <https://doi.org/10.36387/jiis.v11i1.2910>
- Piepho, H. (2018). Letters in Mean Comparisons: What They Do and Don't Mean. *Agronomy Journal*, 110(2), 431–434. <https://doi.org/10.2134/agronj2017.10.0580>
- Puértolas, E., & Barba, F. J. (2016). Electrotechnologies applied to valorization of by-products from food industry: Main findings, energy and economic cost

- of their industrialization. *Food and Bioproducts Processing*.
<https://www.sciencedirect.com/science/article/pii/S0960308516300724>
- Puértolas, E., Luengo, E., Álvarez, I., & Raso, J. (2012). Improving Mass Transfer to Soften Tissues by Pulsed Electric Fields: Fundamentals and Applications. *Annual Review of Food Science and Technology*, 3(1), 263–282.
<https://doi.org/10.1146/annurev-food-022811-101208>
- Putu, N., Hikmawanti, E., Fatmawati, S., & Arifin, Z. (2021). Pengaruh Variasi Metode Ekstraksi terhadap Perolehan Senyawa Antioksidan pada Daun Vol 12 No 2, Oktober 2020 (Huruf besar depan saja) Katuk Dalam *J Farm Udayana*.
- Ranjha, M. M. A. N., Kanwal, R., Shafique, B., Arshad, R. N., Irfan, S., Kieliszek, M., Kowalczewski, P. Ł., Irfan, M., Khalid, M. Z., Roobab, U., & Aadil, R. M. (2021). A Critical Review on Pulsed Electric Field: A Novel Technology for the Extraction of Phytoconstituents. *Molecules*, 26(16), 4893.
<https://doi.org/10.3390/molecules26164893>
- Ricci, A., Parpinello, G., & Versari, A. (2018). Recent Advances and Applications of Pulsed Electric Fields (PEF) to Improve Polyphenol Extraction and Color Release during Red Winemaking. *Beverages*, 4(1), 18.
<https://doi.org/10.3390/beverages4010018>
- Salamah, N., Rozak, M., & Abror, M. A. (2017). Pengaruh metode penyarian terhadap kadar alkaloid total daun jembirit (*Tabernaemontana sphaerocarpa*. BL) dengan metode spektrofotometri visibel. Dalam *Pharmaciana*.
<https://pdfs.semanticscholar.org/0bd9/b62abd206e7116027d65ae8c1f6b248f385e.pdf/1000>
- Sembiring, E., Amila, A., Suswati, S., & ... (2023). Pemberdayaan Masyarakat Melalui Optimalisasi Pemanfaatan Buah Bit pada Kelompok Tani Desa Regaji Kabupaten Karo. *Jurnal Kreativitas*
<https://ejurnalmalahayati.ac.id/index.php/kreativitas/article/view/12198>
- Smiderle, F. R., Alquini, G., Tadra-Sfeir, M. Z., Iacomini, M., & ... (2013). *Agaricus bisporus* and *Agaricus brasiliensis* (1→ 6)-β-d-glucans show immunostimulatory activity on human THP-1 derived macrophages. *Carbohydrate*
<https://www.sciencedirect.com/science/article/pii/S0144861713000155>
- Soares, L., Cunha, C., Novais, S., Ferreira, A., Frazão, O., & Silva, A. S. (2023). Refractive index measurements of ethanol-water binary liquid solutions using a graded-index fiber tip sensor. *EPJ Web of Conferences*, 287, 09038.
<https://doi.org/10.1051/epjconf/202328709038>

- Su, W., Wang, Q., Li, J., Qiu, Z., & Qiu, Y. (2024). Effects of pulsed electric field technology on the nutritional value and biological function of plant food. *Frontiers in Sustainable Food Systems*, 8, 1385533. <https://doi.org/10.3389/fsufs.2024.1385533>
- Taiz, L., Zeiger, E., Mller, I. M., & Murphy, A. (2015). *Plant Physiology and Development* (No. Ed. 6). Sinauer Associates Incorporated.
- Takaendengan, T., & Abbas, A. Y. (2021). Analisis daya serap tanah dengan metode uji perkolasi di Politeknik Negeri Manado. *Jurnal Teknik Sipil Terapan*. <http://jurnal.polimdo.ac.id/index.php/jtst/article/view/262>
- USDA. (2015). *Composition of foods raw, processed, prepared. USDA National Nutrient Database for Standard Reference, release 27*. USDA Washington (DC).
- Visockis, M., Bobinaitė, R., Ruzgys, P., Barakauskas, J., Markevičius, V., Viškelis, P., & Šatkauskas, S. (2021). Assessment of plant tissue disintegration degree and its related implications in the pulsed electric field (PEF)–assisted aqueous extraction of betalains from the fresh red beetroot. *Innovative Food Science & Emerging Technologies*, 73, 102761. <https://doi.org/10.1016/j.ifset.2021.102761>
- Wang, Y., Do, T., Marshall, L. J., & Boesch, C. (2023). Effect of two-week red beetroot juice consumption on modulation of gut microbiota in healthy human volunteers – A pilot study. *Food Chemistry*, 406, 134989. <https://doi.org/10.1016/j.foodchem.2022.134989>
- Wruss, J., Waldenberger, G., Huemer, S., Uygun, P., Lanzerstorfer, P., Müller, U., Höglinger, O., & Weghuber, J. (2015). Compositional characteristics of commercial beetroot products and beetroot juice prepared from seven beetroot varieties grown in Upper Austria. *Journal of Food Composition and Analysis*, 42, 46–55. <https://doi.org/10.1016/j.jfca.2015.03.005>