

DAFTAR PUSTAKA

- Adolphus, K., Lawton, C. L., & Dye, L. (2013). The effects of breakfast on behavior and academic performance in children and adolescents. *Frontiers in human neuroscience*, 7, 425.
- Antika, P. M. A., & Werdiharini, A. E. (2024). Hubungan Kebiasaan Sarapan dan Makan Jajan dengan Status Gizi Siswa SDN Tegal Gede 02 Jember. *HARENA: Jurnal Gizi*, 5(1), 1-11.
- Bowling, A. (1997). *Research methods in health* (pp. 228-249). New York (NY).
- Craig, C. L., Marshall, A. L., Sjöström, M., Bauman, A. E., Booth, M. L., Ainsworth, B. E., ... & Oja, P. (2003). International physical activity questionnaire: 12-country reliability and validity. *Medicine & science in sports & exercise*, 35(8), 1381-1395.
- Dong, X., Ding, M., Chen, W., Liu, Z., & Yi, X. (2020). Relationship between smoking, physical activity, screen time, and quality of life among adolescents. *International journal of environmental research and public health*, 17(21), 8043.
- Gibson, R. S. (2005). *Principles of nutritional assessment*. Oxford university press.
- Guthold, R., Stevens, G. A., Riley, L. M., & Bull, F. C. (2020). Global trends in insufficient physical activity among adolescents: a pooled analysis of 298 population-based surveys with 1·6 million participants. *The lancet child & adolescent health*, 4(1), 23-35.
- Hallström, L., Labayen, I., Ruiz, J. R., Patterson, E., Vereecken, C. A., Breidenassel, C., Gottrand, F., Huybrechts, I., Manios, Y., Mistura, L., Widhalm, K., Kondaki, K., Moreno, L. A., Sjöström, M., & HELENA Study Group (2013). Breakfast consumption and CVD risk factors in European adolescents: the HELENA (Healthy Lifestyle in Europe by Nutrition in

- Adolescence) Study. *Public health nutrition*, 16(7), 1296–1305.
<https://doi.org/10.1017/S1368980012000973>
- Hanifah, L., Nasrulloh, N., & Sufyan, D. L. (2023). Sedentary behavior and lack of physical activity among children in Indonesia. *Children*, 10(8), 1283.
- Hardinsyah, H., & Aries, M. (2016). Jenis pangan sarapan dan perannya dalam asupan gizi harian anak usia 6—12 tahun di indonesia.
- Herlina, N., Noviani, N. E., & Niamilah, I. (2026). Hubungan antara Kebiasaan Sarapan dengan Obesitas pada Anak Remaja SMP Muhammadiyah 3 Yogyakarta. *Media Gizi Ilmiah Indonesia*, 4(1), 9-17.
- Huwaida, H. (2025). HUBUNGAN KEBIASAAN SARAPAN, ASUPAN ZAT GIZI DAN AKTIVITAS FISIK DENGAN KEJADIAN OBESITAS REMAJA USIA 16-18 TAHUN DI KOTA SEMARANG. *Majalah Kesehatan*, 12(3), 252-260.
- Kementerian Kesehatan RI. (2018). *Laporan Nasional Riskesdas 2018*. Jakarta: Badan Penelitian dan Pengembangan Kesehatan.
- Kementerian Kesehatan Republik Indonesia. (2022). *Profil kesehatan Indonesia*. Jakarta: Kemenkes RI.
- Lyerly, J. E., Huber, L. R., Warren-Findlow, J., Racine, E. F., & Dmochowski, J. (2014). Is breakfast skipping associated with physical activity among U.S. adolescents? A cross-sectional study of adolescents aged 12-19 years, National Health and Nutrition Examination Survey (NHANES). *Public health nutrition*, 17(4), 896–905.
<https://doi.org/10.1017/S1368980013000700>
- Mahyuddin, R., Sudirman, A., & Hamid, M. W. (2025). Edukasi Program Kesegaran Jasmani Anak dan Remaja: Program Aktivitas Fisik untuk Meningkatkan Pertumbuhan dan Perkembangan. *KOMET: Kolaborasi Masyarakat Berbasis Teknologi*, 1(3), 83-88.

- Maric, D., Bianco, A., Kvesic, I., Sekulic, D., & Zenic, N. (2021). Analysis of the relationship between tobacco smoking and physical activity in adolescence: A gender specific study. *Medicina*, 57(3), 214.
- Ningrum, P. T., & Indrayani, R. (2019). Perilaku Merokok Pada Masyarakat Dan Implementasi Kebijakan Kawasan Tanpa Rokok (Ktr) Di Desa Ajung Kecamatan Kalisat Kabupaten Jember. *Jurnal Kesehatan*, 5(2), 116–120. <https://doi.org/10.25047/j-kes.v5i2.30>
- Ongosi, A. N., Wilunda, C., Musumari, P. M., Techasrivichien, T., Wang, C. W., Ono-Kihara, M., ... & Nakayama, T. (2020). Prevalence and risk factors of elevated blood pressure and elevated blood glucose among residents of Kajiado County, Kenya: A population-based cross-sectional survey. *International journal of environmental research and public health*, 17(19), 6957.
- Piotrowska, E., Godyla-Jablonski, M., & Bronkowska, M. (2020). Effect of eating habits, BMI value, physical activity and smoking cigarettes on blood lipid indices of adolescent boys from Poland. *Roczniki Państwowego Zakładu Higieny*, 71(4).
- Riwu, R., Aspatia, U., & Riwu, R. R. (2024). Hubungan kebiasaan sarapan dan aktivitas fisik dengan status gizi remaja di SMP Negeri 6 Kupang. *Sehatmas: Jurnal Ilmiah Kesehatan Masyarakat*, 3(1), 40-48.
- Sakliressy, M. C. S., Kasau, S., & Syahrudin, A. N. (2025). HUBUNGAN STATUS GIZI DAN SARAPAN PAGI DENGAN KONSENTRASI BELAJAR SISWA DI SMP NEGERI 4 KABUPATEN HALMAHERA BARAT. *Jurnal Spektrum Kesehatan*, 1(3), 41-49.
- Sawyer, S. M., Azzopardi, P. S., Wickremarathne, D., & Patton, G. C. (2018). The age of adolescence. *The lancet child & adolescent health*, 2(3), 223-228.
- Setia, M. S. (2016). Methodology series module 3: Cross-sectional studies. *Indian journal of dermatology*, 61(3), 261.

- Smit, R. A., Kuipers, M. A., Federico, B., Clancy, L., Perelman, J., Rozema, A. D., & Kunst, A. E. (2023). The association of adolescents' smoking with the physical activity levels of their friends. *Preventive Medicine*, 175, 107652.
- Sugiyono. (2018). *Metode penelitian kuantitatif, kualitatif, dan R&D*. Bandung: Alfabeta.
- World Health Organization. (2020). *Guidelines on physical activity and sedentary behaviour*. Geneva: World Health Organization.
- World Health Organization, & Ministry of Health Indonesia. (2020). *Global Youth Tobacco Survey (GYTS) Indonesia 2019*. Geneva: WHO.
- World Health Organization. (2024). *Physical activity*. World Health Organization.
- World Health Organization. (2024). *Adolescent and young adult health: Risks and solutions*. World Health Organization.
- World Health Organization. (2026). *Healthy diet*. World Health Organization.
- World Health Organization. (2026). *Tobacco and nicotine*. World Health Organization.