

REFERENCES

- Aengwanich. 2009. Antibiotic Effect of Polyphenolic Compound Extracted from Tamarind (*Tamarindus indica L.*) Seed Coat on Productive Performance of Broilers. International Journal of Poultry Science 8 (8): 749-751.
- Anderson, D.B., V.J. Mecracken, R.I. Aminov, J.M. Simpson, R.I. Mackie, M.W.A. Verstegen and H.R. Gaskins, 2000. Gut microbiology and growth promoting antibiotics in swine. Pig News Inf., 20: 1115-1122.
- Anonymous. 2012. Broiler. <http://en.wikipedia.org/wiki/Broiler>. 23rd March, 2013
- Areneo, B.A., J.J. Cebra and J. Beuth, 1996. Problems and probiotics for controlling opportunistic pathogens with new antimicrobial strategies: an overview of current literature. Zentralblatt Bakteriologic. Int. J. Med. Microbial. Virol. Parasitol., 283: 431-65.
- Ashayerizadeh.A, Dabiri K. H. Mirzadeh and M. R. Ghorbani, 2011. Effect of dietary supplementation of probiotic and prebiotic on growth indices and serum biochemical parameters of broiler chickens. Islamic Azad University, Karaj Branch, Karaj, Iran.
- Aviagen. 2012. Welcome to Arbor Acres. <http://en.aviagen.com/arbor-acres/>. 23rd Marchr, 2013.
- Bernet, M.F., D. Brassart, J.R. Neeser and A.L. Servin, 1993. Adhesion of human bifidobacterial strains to cultured human intestinal epithelial cells and inhibition of enteropathogen-cell interactions. Appl Environ Microbiol., 59: 4121-41.
- Bhattacharrya, Bal, Mukherji. 1994. Studies on the characteristics of some products from tamarind kernel. Journal of Food Science and Technology. India. 31(5):372-376.
- Bhatta, R., Krishnamoorthy, Mohamed. 2001. Effect of tamarind seed husk tannins on *in vitro* rumen fermentation. Animal Feed Science and Technology. 90(3/4):143-152.
- Bhattacharrya, Bal, Mukherji. 1994. Studies on the characteristics of some products from tamarind kernel. Journal of Food Science and Technology. India. 31(5):372-376.

Choudhari, A., Shilpshri, S., Ramteke, B.N., 2008. Prebiotics and Probiotics as Health promoter. Veterinary World,1(2), 59-61.

Ergun, A., S. Yalcin and P. Sacakli, 2000. The usage of probiotic and zinc bacitracin in broiler rations. Ankara Universitesi Veteriner Fakultesi Dergisi, 47: 271-280.

Zuanon, J.A., S. JB-Fonseca, H.S. Rostagno, M. Almeida and M. Silva, 1998. Effects of growth promoters on broiler chicken performance. Revista Brasileira de Zootecnia. 27: 999-1005.

Fairchild AS, Grimes JI, Jones FT, Wineland MJ, Edens FW, Sefton AE (2001). Effects of Hen Age, Bio-Mos, and Flavomycinon Poult Susceptibility to Oral Escherichia coli Challenge. Poult. Sci., 80: 562-571.

FAO/WHO, 2002. Joint FAO/WHO (Food and Agriculture Organization/World Health Organization) working group report on drafting guidelines for the evaluation of probiotics in food. London, Ontario, Canada. guidelines for the evaluation of probiotics in food. Joint working group report on drafting. London, Ontario, 2002:1–11.

Freter, R., 1992. Factors affecting the microecology of the gut. In: Fuller R, ed. Probiotics, the scientific basis. London: Chapman & Hall, 111-44.

Fuller, R., 1973. Ecological studies on the lactobacillus flora associated with the crop epithelium of the fowl. J. Appl. Bacteriol., 36: 131-9.

Fuller, R., 1989. Probiotics in man and animals. J. Appl. Bacteriol., 66: 365-378.

Fuller, R., 2000. The Chicken Gut Microflora and Probiotic Supplements. J. Poult. Sci., 38: 189-196.

F.W. Edens, et all. (January 1997). "Principles of ex ovo competitive exclusion and in ovo administration of *Lactobacillus reuteri*". *Poult. Sci.* 76 (1): 179–96. PMID 9037704

Gibson,G.R. and M.B. Roberfroid, 1995. Dietary modulationof the human colonic microbiota:Introducingthe concept of prebiotics. J. Nutr., 125:1401-1412.

Gill, H.S., 2003. Probiotics to enhance anti-infective defences in the gastrointestinal tract. Best Practice and Research Clinical Gastroenterology 17, 755–773.

Goldin B. R. and S. L. Gorbach. 1984b. Alterations of the intestinal micro-flora by diet, oral antibiotic and *Lactobacillus*: Decreased production of free amines from aromatic nitro compounds, azo dyes and glucuronides. J. National Cancer Institute. 73: 689–695.

Gunal M, Yayli G, Kaya O, Karahan N, Sulak O (2006). The effects of antibiotic growth promoter, probiotic or organic acid supplementation on performance, intestinal microflora and tissue of broiler. Int. J. Poult. Sci., 5: 149-155.

Hooper, L.V., Midtvedt, T., Gordon, J.I., 2002. How host-microbial interactions shape the nutrient environment of the mammalian intestine. Annual Review of Nutrition 22,283–307.

M. Falaki, M. Shams Shargh, B. Dastar and S. Zerehdaran , 2011. Effects of Different Levels of Probiotic and Prebiotic on Performance and Carcass Characteristics of Broiler Chickens. Journal of Animal and Veterinary Advances. Page No.: 378-384.

Mazmanian, S.K., Round, J.L., Kasper, D., 2008. A microbial symbiosis factor prevents inflammatory disease. Nature 453, 620–625.

Midilli, M., Alp, M., Kocabagli, N., Muglali, ÖH., Turan, N., Yilmaz, H. And Çakir, S., 2008. Effects of dietary probiotic and prebiotic supplementation on growth performance and serum IgG concentration of broilers. South African Journal of Animal Science, 38,21-27.

Mohan B, Kadirvel R, Bhaskaran M, Natra Jan A (1996). Effect of probiotic supplementation on growth, nitrogen utilization and serum cholesterol in broilers. Br. Poult. Sci. 37: 395-401.

Samanta, M. and P. Biswas, 1997. Effect of feeding *Streptococcus* culture on the performance of broilers. J. Interacademicia, 1: 118-120.

Samli, H.E., Senkoylu, N., Koc, F., Kanter, M. And Agma, A., 2007. Effects of Enterococcus faecium and dried whey on broiler performance, gut histomorphology and intestinal microbiota. Archive of Animal Nutrition 61,42-49.

Shareef. A. M and A. S. A. Al-Dabbagh.2009. Effect of probiotic (*Saccharomyces cerevisiae*) on performance of broiler chicks. University of Mosul. Iraq.

Spring, P, Weng, C., Dawson, K. A. And Newman, K.E., 2000.The effects of dietary mannoligosaccharide on caecal parameters and the salmonella-challenged broiler chicks. Poultry Science,79,205-211.

Ouwehand, A.C., P.V. Kirjavainen, M.M. Grönlund, E. Isolauri and S.J. Salminen, 1999. Adhesion of probiotic micro-organisms to intestinal mucus. Int. Dairy J., 9: 623-30.

Panda, A.K., M.R. Reddy, S.V.R. Rao, M.V.L.N. Raju and N.K. Praharaj, 2000. Growth, carcass characteristics, immunocompetence and response to *Escherichia coli* of broilers fed diets with various levels of probiotic. Archiv fur Geflugelkunde., 64: 152-156.

Panda, A.K., S.V.R. Rao, M.R. Reddy and N.K. Praharaj, 1999. Effect of dietary inclusion of probiotic on growth, carcass traits and immune response in broilers. Ind. J. Poult. Sci., 34: 343-346.

Panda, A.K., Raju, M.V.L.N., Rama Rao, S.V., Sharma, S.R., 2005.The influence of supplementation of lactobacillus sporogenes on the performance of broilers.Indian Journal of Animal Nutrition,22(1),37-40.

Patidar, S.K. and J.B. Prajapati, 1999. Effect of feeding *Lactobacilli* on serum antibody titer and faecal microflora in chicks. Microbiologic, Aliments, Nutr. 17: 145-154.

Patterson, J.A. and K.M. Burkholder, 2003. Prebiotic feed additives: Rationale and use in pigs. In: Proceedings of the 9 international symposium on the Digestive Physiology in Pigs, Ball.

Salminen, S., Isolauri, E., Salminen, E., 1996. Clinical uses of probiotics for stabilizing the gut mucosal barrier: successful strains and future challenges. Antonie van Leeuwenhoek 70, 347–358.

Salzman, N.H., Ghosh, D., Huttner, K.M., Paterson, Y., Bevins, C.L., 2003. Protection against enteric salmonellosis in transgenic mice expressing a human intestinal defensin. *Nature* 422, 522–526.

Scantlebury-Manning, T., Gibson, G.R., 2004. Prebiotics. *Best Practice and Research Clinical Gastroenterology* 18, 287–298.

T.Srikhun,W.Aengwanich and W.Kongbuntad.2010.Effects of polyphenols extracted from tamarind (*Tamarindus Indica* L.) seed coat on body weight,white bloods cells,bursa of fabricius and NDP-HI titer of broilers under chronic heat stress.*Poultry Sci.*9 (10):988-995.

Thitaram SN, Chung CH, Day DF, Hinton A, Bailey JS,Siragusa GR (2005). Isomaltooligosaccharide increases cecal bifidobacterium population in young broiler chickens. *Poult Sci.*, 84: 998-1003.

Willis, W.L., O.S. Isikhuemhen and S.A. Ibrahim, 2007. Performance assessment of broiler chickens given mushroom extract alone or in combination with probiotics. *Poult. Sci.*, 86: 1856-1860.

Yalcinkayal, H., T. Gungori, M. Bafialani and E. Erdem, 2008. Mannan oligosaccharides (MOS) from *Saccharomyces cerevisiae* in broilers: Effects on performance and blood biochemistry. *Turk. J. Vet. Anim. Sci.*, 32: 43-48.

Zhang AW, Lee BD, Lee SK, Lee KW, An GH, Song KB, Lee CH (2005). Effects of Yeast (*Saccharomyces cerevisiae*) Cell Components on Growth Performance, Meat Quality, and Ileal Mucosa Development of Broiler Chicks. *Poult. Sci.*, 84: 1015-1021.

Zulkifli, I., N. Abdullah, N.M. Azrin and Y.W. Ho, 2000. Growth performance and immune response of two commercial broiler strains fed diets containing *Lactobacillus* cultures and oxytetracycline under heat stress conditions. *Br. Poult. Sci.*, 41: 593-597.