

REFERENCES

- Aviagen. 2012. Arbor Acres Plus Broiler Performance Objective.
http://en.aviagen.com/assets/Tech_Center/AA_Broiler/AA_BroilerPerfObj2012R1.pdf/. (Access December, 2012).
- _____. 2009. Arbor Acres Broiler Management Guide.
<http://www.scribd.com/doc/29567996/Arbor-Acres-Broiler-Manual>.
(Access December, 2012).
- Aengwanich. W., M. Suttajit., T. Srikhun., T. Boonsorn., 2009. antibiotic effect of polyphenolic compound extracted from tamarind (*Tamarindus indica L.*) seed coat on productive performance of Broilers. International Journal of Poultry Science 8 (8): 749-751.
- Ali. 2008. effect of drug free feeding programs on growth performance, intestinal morphology and carcass quality of broiler chick.
- Alvarez, L.C., E.M. Barrera and E.A. Gonzalez, 1994. evaluation of growth promoters for broiler chickens. Veterinaria Mexico, 25: 141-144.
- Anderson, D.B., V.J. Mecracken, R.I. Aminov, J.M. Simpson, R.I. Mackie, M.W.A. Verstegen and H.R. Gaskins, 2000. Gut microbiology and growth promoting antibiotics in swine. Pig News Inf., 20: 1115-1122.
- Anjum, M.I., A.G. Khan, A. Azim and M. Afzal, 2005. Effect of dietary supplementation of multi-strain probiotic on broiler growth performance. Pakistan Vet. J., 25(1): 25-29.
- Anonymous. 2009. Cholesterol.
<http://www.medicalnewstoday.com/articles/9152.php>. (Accessed 2013).
- Anonymous. 2013. <http://www.majalahinforevet.com/2008/07/proprebiotik-asam-organik-dan-enzim.html>.
- Areneo, B.A., J.J. Cebra and J. Beuth, 1996. Problems and probiotics for controlling opportunistic pathogens with new antimicrobial strategies: an overview of current literature. Zentralblatt Bakteriologic. Int. J. Med. Microbial. Virol. Parasitol., 283: 431-65.
- Arihara, K., H. Ota, M. Itoh, Y. Kondo, T. Sameshima, H. Yamanaka, M. AKIMATO, S. Kanai and T. Miki. 1998. *Lactobacillus acidophilus* group lactic acid bacteria applied to meat fermentation. *J. Food Sci.* 63: 544–547

- Badan pusat statistik (BPS). 2001. Statistik Indonesia 2001. Jakarta – Indonesia.
- Baidya, N., L. Mandal and G.C. Banerjee, 1993. Efficiency of feeding antibiotic and probiotics in broilers. *J. Vet. and Anim. Sci.*, 24: 120-124.
- Barman, K. ; Rai, S. N., 2006. Utilization of tanniniferous feeds. 1. Chemical composition, tannin fractionation, amino acid and mineral profiles and *in vitro* digestibility of certain Indian agro-industrial byproducts. *Indian J. Anim. Sci.*, 76 (1): 71-80
- Beachey, E.H., 1980. Bacterial adherence. London. Chapman and Hall.
- Bernet, M.F., D. Brassart, J.R. Neeser and A.L. Servin, 1993. Adhesion of human bifidobacterial strains to cultured human intestinal epithelial cells and inhibition of enteropathogen-cell interactions. *Appl Environ Microbiol.*, 59: 4121-41.
- Bhattacharrya, Bal, Mukherji. 1994. Studies on the characteristics of some products from tamarind kernel. *J. of Food Science and Technology. India.* 31(5):372-376.
- Blanchard P, Gill P, Schulze H. Efficacy of *Lactobacillus reuteri* 1063-IA in pre- and post-weaning pigs. Hertfordshire SG5 4JG (UK): MLC Stotfold Pig Development Unit; 1998. Study Reference No. FF9801.
- Blecha, F., 2000. Neuroendocrine responses to stress. *The Biology of Animal Stress*. Moberg, g. P. and J. A. Mench. Ed. CABI, New York: 111-119.
- Carvalho, N. Et al., 2006. Efficacy of a microbial feed additive – GalliPro – in a corn/soybean meal based broiler diet.
- Casas, Ivan A., Dobrogosz, Walter J. (December 1, 2000). Validation of the Probiotic Concept: *Lactobacillus reuteri* confers broad-spectrum protection against disease in humans and animals. *Microbial Ecology in Health and Disease* 12 (4).
- Casas IA, Edens FW, Parkhurst CR, Dobrogosz WJ (1998). "Probiotic treatment with *Lactobacillus reuteri* protects commercial turkeys from avian growth depression". *Biosci Microflora* 17: 141–7.
- Chaisakdanugull. 2005. Characterization of Oligosaccharide From Tamarind Kernel Powder. http://ift.confex.com/ift/2005/techprogram/paper_30144.htm.
- Charles, D.R. 1981. Practical ventilation and temperature control for poultry, in environmental aspects of housing for animal production, by J.A. Clark, University of Nottingham.

Chowdhury S. R. ; D. K. Sarker; S. D. Chowdhury; T. K. Smith; P. K. Roy; M. A. Wahid. 2005. Effects of dietary tamarind on cholesterol metabolism in laying hens.

Cooper, M.A. and K.W. Washburn, 1998. The relationships of body temperature to weight gain, feed consumption and feed utilization in broilers under heat stress. *Poult. Sci.*, 77: 237-242.

B. R. Dizaji., S. Hejazi2 ., A. Zakeri., 2012. Effect of dietary supplementations of prebiotics, probiotics, synbiotics and acidifiers on growth performance and organs weights of broiler chickens. *European journal of experimental biology* 2 (6) : 2215-2129.

Doughari. 2005. Antimicrobial activity of *tamarindus indica* linn. *Tropical J. of Pharmaceutical Research*, December 2006; 5 (2): 597-603.

Ergun, A., S. Yalcin and P. Sacakli, 2000. The usage of probiotic and zinc bacitracin in broiler rations. *Ankara Universitesi Veteriner Fakultesi Dergisi*, 47: 271-280.

Freter, R., 1992. Factors affecting the microecology of the gut. In: Fuller R, ed. *Probiotics, the scientific basis*. London: Chapman & Hall, 111-44.

Fuller, R., 1973. Ecological studies on the lactobacillus flora associated with the crop epithelium of the fowl. *J. Appl. Bacteriol.*, 36: 131-9.

Fuller, R., 1989. Probiotics in man and animals. *J. Appl. Bacteriol.*, 66: 365-378.

Fuller, R. 1992. The Importance of Lactobacili in maintaining normal microbial balance in the crop. *British Poultry Sci.* 18:85.

Fuller, R., 2000. The chicken gut microflora and probiotic supplements. *J. Poul. Sci.*, 38: 189-196.

FW Edens. 1997. Principles of ex ovo competitive exclusion and in ovo administration of *Lactobacillus reuteri*. *Poult. Sci.* 76 (1): 179-96. PMID 9037704.

Gibson GR, Roberfroid MB (Jun 1995). Dietary modulation of the human colonic microbiota: introducing the concept of prebiotics. *J Nutr.* 125 (6): 1401-1412.

Gibson, G.R. and R. Fuller, 2000. Aspects of *in vitro* and *in vivo* research approaches directed toward identifying probiotics and prebiotics for human use. *J. Nutr.*, 130: 391-395.

Gohain, A.K. and D. Sapkota, 1998. Effect of probiotic feeding on the performance of broilers. *Ind. J. Poult. Sci.*, 33: 101-105.

Gowda, N. K. S., Ramana, J. V., Prasad, C. S., Khub Singh, 2004. Micronutrient content of certain tropical conventional and unconventional feed resources of Southern India. *Trop. Anim. Health Prod.*, 36 (1): 77-94

Gunal. M., G. Yayli., O. Kaya., N. Karahan and O. Sulak., 2006. The Effects of Antibiotic growth promoter, probiotic or organic acid supplementation on performance, intestinal microflora and tissue of Broiler. *International J. of Poultry Science* 5 (2): 149-155.

Hamid, A., Z.F. Khan, A. Munid and M.A. Qadeer, 1994. Probiotics in poultry production. *Bangl. J. Sci. Ind. Res.*, 29: 1-12.

Hassan, ZH. 2005. The Potency of *Lactobacillus* Isolated from Chickens Digestive Tracts as Probiotics Agents: Its Tolerance and Resistance Towards Bile Salt.

Hewson, Caroline J. (2003). "What is animal welfare? Common definitions and their practical consequences". *The Canadian Veterinary Journal* 44 (6): 496–9.

Hood, S.K. and E.A. Zottola. 1987. Election microscopic study of the adherence properties of *Lactobacillus acidophilus*. *J. Food Sci.* 52: 792–805.

Hood, S.K. and E.A. Zottola. 1988. Effect of low pH on the ability *Lactobacillus acidophilus* to survive and adhere to human intestinal cells. *J. Food Sci.* 53: 1514–1516.

Irsan A. Effect of probiotics on broilers performance. *International J. of poultry science* 5(6): 593-597. 2006.

Jagdish, P. and A.K. Sen, 1993. Effect of different growth promoters on the performance of broilers. *Poult. Advi.*, 26: 49-51.

Kabir S.M.L., Rahman M.M., Rahman M.B., Rahman M.M. and Ahmed S.U. 2004. The Dynamics of Probiotics on Growth Performance and Immune Response in Broilers. Department of Microbiology and Hygiene, Faculty of Veterinary Science, Bangladesh Agricultural University, Mymensingh-2202, Bangladesh. *International Journal of Poultry Science* 3 (5): 361-364.

Kalavathy . 2006. Effects of *Lactobacillus* feed supplementation on cholesterol, fat content and fatty acid composition of the liver, muscle and carcass of broiler chickens. *Animal Research* 55: 77-82.

Klaver, F.A.M. and Reolov Van Der Meer. 1993. The assumed assimilation of cholesterol by *Lactobacillus* and *Bifidobacterium Bifidum* is due to their bile salt-deconjugating activity. *App. Environ. Microbiol.* 59: 1120–1124.

Kumprechtova, D., P. Zobac and I. Kumprecht, 2000. The effect of *Saccharomyces cerevisiae* Sc47 on chicken broiler performance and nitrogen output. Czech J. Anim. Sci., 45: 169-177.

Lan, P.T., T.L. Binh and Y. Benno, 2003. Impact of two probiotics *Lactobacillus* strains feeding on fecal *Lactobacilli* and weight gains in chickens. J. Gen. Appl. Microbiol., 49: 29-36.

ME Sanders. 2000. Considerations for use of probiotic bacteria to modulate human health. *The J. of Nutrition* 130 (2S Suppl): 384S–390S. PMID 10721912. Retrieved 2012-05-14.

M. Midilli, M. Alp, N. Kocabağlı, Ö.H. Muğlalı, N. Turan, H. Yılmaz, S. Çakır. 2008. Effects of dietary probiotic and prebiotic supplementation on growth performance and serum IgG concentration of broilers. South african J. of animal science 38 (1).

Mohan, B., R. Kadirvel, A. Natarajan and M. Bhaskaran, 1996. Effect of probiotic supplementation on growth, Nitrogen utilization and serum cholesterol in broilers. Br. Poult. Sci., 37: 395-401.

Mohan, B., R. Kadirvel., A. Natarajan and M. Bhaskaran., 1996. Effect of probiotic supplementation on growth, Nitrogen utilization and serum cholesterol in broilers. Br. Poult. Sci., 37: 395-401.

Noh, S.H., 1997. Effect of antibiotics, enzyme, yeast, probiotics and beta-agonist on the growth performance and nutrient availability in broilers. Kor. J. Anim. Sci., 36: 630-638.

Ouwehand, A.C., P.V. Kirjavainen, M.M. Grönlund, E. Isolauri and S.J. Salminen, 1999. Adhesion of prbiotic micro-organisms to intestinal mucus. Int. Dairy J., 9: 623-30.

Panda, A.K., M.R. Reddy, S.V.R. Rao, M.V.L.N. Raju and N.K. Praharaj, 2000. Growth, carcass characteristics, immunocompetence and response to *Escherichia coli* of broilers fed diets with various levels of probiotic. Archiv fur Geflugelkunde., 64: 152-156.

Panda, A.K., S.V.R. Rao, M.R. Reddy and N.K. Praharaj, 1999. Effect of dietary inclusion of probiotic on growth, carcass traits and immune response in broilers. Ind. J. Poult. Sci., 34: 343-346.

Panigrahi, S. ; Bland, B. ; Carlaw, P. M., 1989. The nutritive value of tamarind seeds for broiler chicks. Anim. Feed Sci. Technol., 22: 285-293.

Patidar, S.K. and J.B. Prajapati, 1999. Effect of feeding *Lactobacilli* on serum antibody titer and faecal microflora in chicks. Microbiologic, Aliments, Nutr. 17: 145-154.

Patterson, J.A. and K.M. Burkholder, 2003. Prebiotic feed additives: Rationale and use in pigs. In: Proceedings of the 9 international symposium on the Digestive Physiology in Pigs, Ball.

Rahayu, E.S., T.F. Djafaar, D. Wibowo and S. Sudarmadji. 1996. Lactic acid bacteria from indigenous fermented foods and their antimicrobial activity. *J. Indones. Food and Nutrition Progress*. 3(2): 21–27

Rasyaf, M. 2008. Panduan Beternak Ayam Pedaging. Penebar Swadaya, Jakarta.

Rolfe, R.D., 2000. The role of probiotic cultures in the control of gastrointestinal health. *J. Nutr.*, 130: 396-402.

Rolfe, R.D., 2000. The role of probiotic cultures in the control of gastrointestinal health. *J. Nutr.*, 130: 396-402.

Salarmioni., Fooladi. Efficacy of *Lactobacillus acidophilus* as probiotic to improve broiler chick performance. *J. Agr. Sci. Tech*. Vol. 13: 165-172. 2011.

Saleh, B., Duwa, H., Diarra, S. S., Vandi, T. J. and Abdullahi, H. A. 2012. Influence of tamarind pulp on growth and carcass characteristics of broiler chickens.

Samanta, M. and P. Biswas, 1997. Effect of feeding *Streptococcus* culture on the performance of broilers. *J. Interacademia*, 1: 118-120.

Savage, D.C., 1972. Associations and physiological interactions of indigenous microorganisms and gastrointestinal epithelia. *Am. J. Clin. Nutr.*, 25: 1372-9.

Scantlebury-Manning, T., Gibson, G.R., 2004. Prebiotics. *Best Practice and Research Clinical Gastroenterology* 18, 287–298.

Shabani R., Nosrati M., Javandel F., Ahmad A and Kioumars H., 2012. The Effect of Probiotics on Growth Performance of Broilers. *Annals of Biological Research*, 3 (12):5450-5452.

Silva, E.N., A.S. Teixeira, A.G. Bertechini, C.L. Ferreira and B.G. Ventura, 2000. *Ciencia e Agrotecnologia*. 24: Ed. Especial, 224-232.

Soderholm, J.D. and M.H. Perdue, 2001. Stress and gastrointestinal tract II. Stress and intestinal barrier function. *Am. J. Physiol.*, 280: 7-13.

Stavric, S. and E.T. Kornegay, 1995. Microbial probiotics for pigs and poultry. Pages 205-231 in *Biotechnology in animal feeds and animal feeding*. R. J. Wallace and A. Chesson, VCH, New York.

Vanderhoof, J.A., 2001. Probiotics: future directions. *Am. J. Clin. Nutr.*, 73: 1152-1155.

Yeo, J., and K. I. Kim. 1997. Effect of feeding diets containing an antibiotic, a probiotic, or yucca extract on growth and intestinal urease activity in broiler chicks. *Poult. Sci.* 76:381–385.

A. A. Yusuf ., B. M. MOFIO and A. B. AHMED. Proximate and mineral composition of tamarindus indica linn 1753 seed. *Science world journal* vol 2(no 1). 2007.

Zuanon, J.A., S. JB-Fonseca, H.S. Rostagno, M. Almeida and M. Silva, 1998. Effects of growth promoters on broiler chicken performance. *Revista Brasileira de Zootecnia*. 27: 999-1005.